3-unit 2x2 stainless steel surface-mounted letterbox Design BASIC Plus 382XA AP with doorbell box - RAL colour of your choice | Left | 150mm depth | ? Colour of your choice | with 3 mailboxes (2x2)



Product number 382XA-3-SP-150-L

Product description

3-unit 2 × 2 stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - RAL colour of your choice

High-quality surface-mounted mailbox for 3 households - made in Germany by Briefkasten Manufaktur. The complete surface-mounted mailbox unit is made of stainless steel V2A, powder-coated in a RAL colour. The very high-quality workmanship and the well-thought-out concept make this mailbox unit one of our top sellers. A rain drainage edge for optimal water protection, a continuous rubber lip for quiet posting, the solid interchangeable nameplate, a practical mail retention bar and the very robust lock characterise this surface-mounted mailbox unit.

The side cladding with an overhanging rain hood made of stainless steel V2A provides optimal weather protection and guarantees very high durability. The high-quality bell panel with stainless steel doorbell buttons and anti-vandal nameplates can optionally be prepared with a speaking grille for built-in speakers. The mailbox units of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high longevity and sustainability. The construction has been developed by our engineers with a focus on high flexibility and modularity, simple spare-part assembly and uncomplicated self-installation.

Spare parts are directly available for all BASIC Plus units. Thanks to the design, self-installation is straightforward. The mailbox unit is prepared for uncomplicated complete mounting; there is no need for complex wall mounting of individual boxes. 3-unit surface-mounted mailbox unit with mailboxes made of stainless steel V2A, powder-coated in a RAL colour.

The advantages at a glance

Stainless steel side cladding with rain hood

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Side cladding and rain hood are made of stainless steel V2A, powder-coated in a RAL colour of your choice and complement the unit as a structurally coordinated weather protection.

Generous letter aperture

The insertion opening measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox design complies with DIN EN 13724.

Quiet posting and comfortable removal

The integrated flap damping with rubber seal reduces impact noise when posting. The door opens from left to right. The mail retention bar holds items back during removal.

Integrated bell and speech area

Bell box made of weather-resistant V2A stainless steel 1.4301, powder-coated in a RAL colour. The stainless steel doorbell button Type 4 is used as the bell switch. Optionally prepared with a speaking grille for the installation of standard intercom systems or flush-mounted speakers. (Intercom/flush-mounted speaker not included). An option with a Comelit Ultra video complete set is also available.

Quality manufacturing and thoughtful construction

The unit is manufactured by Briefkasten Manufaktur in Germany. The construction is designed for uncomplicated self-installation.

Equipment and product details

Mailbox unit

Number of mailboxes 3 separately usable compartments
Arrangement 2 × 2
Depth 150 mm
Mailbox material Stainless steel V2A
Mailbox finish Powder-coated in a RAL colour of your choice
Bell/speech section Bell box made of weather-resistant V2A stainless steel 1.4301, powder-coated in a RAL colour

Mail and operation

Insertion opening 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Insertion flap Sound-dampened by rubber seal
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the insertion flap
Mail retention bar Integrated for each mailbox

Mounting and equipment

Type of mounting Surface-mounted
Rain drainage edge Integrated into the construction
Rain hood Made of stainless steel V2A, powder-coated in a RAL colour of your choice

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Side cladding Made of stainless steel V2A, powder-coated in a RAL colour of your choice
Mounting material For wall mounting incl. mounting rail and fixings (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Postal items are best protected from moisture and soiling when fully inserted and the insertion flap is closed. Protruding items can prevent the flap from closing completely.

Note on wall mounting

Before mounting, the load-bearing capacity and condition of the wall must be checked. The fixing must be matched to the unit weight and the existing wall construction.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	710.0
Total width in mm	710.0
Depth in mm	100.0 | 150.0
Weight in kg	24
Delivery condition	The system is delivered pre-assembled/partially disassembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618