4-unit surface-mounted mailbox system Design BASIC 385 A 220 vertical - RAL 7016 anthracite grey fine-textured matt | RAL 7016 Anthracite grey, fine texture, matt | with 4 mailboxes (1x4) | 300x220x385 mm (WxHxD) - ???? Large 25 litres



Product number 385A220-7016-4S

Product description

Slim surface-mounted mailbox system BASIC 385A 220 for 4 households – 25 litres per compartment – RAL 7016 Anthracite grey

The BASIC 385A surface-mounted mailbox system for 4 households is a robust wall-mounted solution for apartment buildings, smaller residential complexes as well as office and medical premises. The vertically arranged S-configuration reduces the horizontal space requirement and utilises the available wall height particularly efficiently.

The mailboxes are made of galvanised steel and are powder-coated in RAL 7016 Anthracite grey fine-textured matt. The close-fitting cladding with rain hood combines the individual compartments into a unified, modern surface-mounted unit.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of capacity. The 35 × 265 mm insertion opening is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox is supplied with two keys with key number and a changeable nameplate located beneath the insertion flap.

The advantages of the BASIC 385A 220 surface-mounted unit at a glance

Rain hood and side cladding

Rain hood and side panels unite the individual compartments into a continuous surface-mounted unit. The coordinated cladding provides a calm front and a neat finish on the façade.

25 litres post capacity per compartment

The 300 × 220 × 385 mm (W × H × D) compartments each provide approx. 25 litres of capacity. The 35 × 265 mm insertion opening also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip dampens the insertion flap. Robust locks, two keys with key number and protected changeable nameplates ensure clear allocation of the individual compartments.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade mounting. A mounting rail simplifies installation; fixings including screws and wall plugs are included in the described configuration.

Robust surface in RAL 7016

The anthracite grey fine-textured surface gives the unit a modern look and protects the galvanised steel for daily use on the building. The unit is manufactured in Germany by the Briefkasten Manufaktur.

Equipment of the BASIC 385A 220 mailbox system

Mailbox system

Number of mailboxes 4 individually lockable compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per compartment
Material Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-textured matt
Finish RAL 7016 Anthracite grey fine-textured matt
Standard DIN EN 13724

Post and handling

Insertion opening 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Post retrieval From the front
Door opening Left to right
Keys 2 keys with key number per compartment
Nameplate Changeable nameplate beneath the insertion flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain hood Solid, matching the unit
Type of installation Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; suitability for the on-site wall construction must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are appropriate for the existing wall construction; for other substrates or external thermal insulation composite systems (ETICS) suitable fixing solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Post is best protected from moisture and dirt only when items are fully inserted and the insertion flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Material	Steel, galvanised
Series	BASIC
Number of boxes	with 4 letterboxes
Name labelling	Nameplate
Surface/colour	RAL 7016 anthracite grey
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	300.0
Total width in mm	308.0
Depth in mm	435.0
Weight in kg	21
Delivery condition	Delivered partially assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618