12-unit 6x2 surface-mounted mailbox system Design BASIC 385A- VA AP - brushed stainless steel V2A | with 12 mailboxes (2x6) | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | Stainless steel, brushed



Product number 385A-VA-12W

Product description

Wide surface-mounted mailbox system BASIC 385A for 12 households – V2A stainless steel brushed

The BASIC 385A surface-mounted mailbox system for 12 households is a robust wall solution for apartment buildings, residential complexes and commercially used properties. The wider W-configuration distributes the mailboxes across a multi-column front and keeps the overall system lower and more compact in proportion.

The mailbox system is made from high-quality V2A stainless steel in a brushed finish. Mailboxes, cladding and weather canopy form a timeless, low-maintenance and robust stainless steel unit.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm insertion opening is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable nameplate located beneath the insertion flap.

Advantages of the BASIC 385A surface-mounted system at a glance

Weather canopy and side panels

The weather canopy and side panels unite the individual compartments into a closed surface-mounted system. The coordinated cladding provides a calm front and a clean finish at the facade.

DIN C4 insertion and 12 litres volume

The 300 × 110 × 385 mm (W × H × D) compartments each offer approx. 12 litres of volume. The 35 × 265 mm insertion opening also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the insertion flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear allocation of the individual compartments.

Mounting rail for wall installation

The surface-mounted system is designed for direct facade installation. A mounting rail simplifies installation; fixing materials with screws and wall plugs are included in the described configuration.

Entirely in brushed stainless steel

The V2A version combines a high-quality metal surface with a robust construction for long-lasting surface-mounted mailbox systems. The system is manufactured in Germany by Briefkasten Manufaktur Lippe.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 12 individually lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material V2A stainless steel 1.4301, brushed
Finish V2A stainless steel 1.4301, brushed
Standard DIN EN 13724

Mail and operation

Insertion opening 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Mail collection Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the insertion flap

Cladding and wall mounting

Side cladding Close-fitting design
Weather canopy Robust, matching design
Type of installation Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; check suitability for the wall construction on site
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall installation

The wall must be flat and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they suit the existing wall construction; for other substrates or external thermal insulation composite systems, appropriate fastening solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and soiling when items are fully inserted and the insertion flap is closed. Overhanging letters or magazines may prevent the flap from closing completely.

Product properties

Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Mounting type	Surface-mounted
Number of boxes	with 12 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	600.0
Total width in mm	608.0
Depth in mm	435.0
Weight in kg	65
Delivery condition	Delivered partially assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618