7-unit stainless-steel mailbox system Design BASIC Plus 385XW for side wall mounting - RAL colour of your choice | Right | with 7 mailboxes



Product number 385XW-7S-R

Product description

Side-mounted BASIC Plus 385XW mailbox system for 7 households – box position on the right

The BASIC Plus 385XW is a high-quality stainless steel mailbox system for side wall mounting for 7 households. It has been developed for residential complexes and commercial properties with seven separate users and allows space-saving installation to the side of the entrance or on a suitable wall surface.

The slim 1×7 configuration offers seven separate mail compartments without requiring a wide façade area for installation.

The mailboxes are made from stainless steel V2A 1.4301 and are powder-coated in a RAL or DB colour of your choice. The rain canopy and side cladding are also made from stainless steel. The side fixing is via 60.3 mm diameter stainless steel posts with a 240-grit finish.

In this product variant the box position is on the right. The side arrangement creates a clear mounting edge and allows the mailbox system to be aligned to the entrance situation on site.

The advantages of the BASIC Plus 385XW at a glance

Robust stainless steel mounting posts

Side wall fixing is carried out via Ø 60.3 mm posts made from stainless steel V2A 1.4301 with a 240-grit finish. They create a stable and durable connection between the mailbox system and the building wall.

Side wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The 385XW is mounted to the side of a suitable wall. In this variant the box position is on the right; this allows the system to be adapted specifically to the existing entrance situation.

BASIC Plus in stainless steel V2A

Mailboxes, cladding and fixing elements consistently use stainless steel V2A 1.4301. The powder-coated mailboxes combine a high-quality surface with a durable construction.

DIN C4 slot with rubber lip

Each compartment has a 35 × 265 mm insertion opening suitable for DIN C4 (portrait). A noise-dampening rubber lip reduces the impact of the flap.

Robust solution for 7 households

Seven separate mail compartments are combined in a space-saving modular stainless steel system for demanding entrance areas. The modular BASIC Plus construction also facilitates maintenance and the fitting of spare parts.

Specification of the BASIC Plus 385XW for 7 households

Mailbox system

Number of mailboxes 7 mailboxes
Arrangement 1 column × 7 rows
Material Stainless steel V2A 1.4301
Surface Powder-coated in a RAL/DB colour of choice
Rain canopy / side cladding Stainless steel V2A 1.4301, powder-coated to match
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Insertion opening 35 × 265 mm per mailbox, suitable for DIN C4 (portrait)
Mail volume Approx. 12 litres per mailbox
Insertion flaps With noise-dampening rubber lip
Mail removal From the front
Door opening From left to right
Keys 14 keys in total, 2 per mailbox
Nameplates 7 interchangeable nameplates under the insertion flaps

Side fixing

Box position Right
Mounting posts Ø 60.3 mm stainless steel V2A 1.4301
Post surface 240-grit ground finish
Mounting method Screw mounting to a suitable wall
Fixings Choose bolt anchors or coach screws on site to suit the wall
Standard Mailboxes according to DIN EN 13724

Note on side wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be clean, even and sufficiently load-bearing for the weight of the complete mailbox system. Bolt anchors or coach screws are not included and must be selected to suit the wall construction, system weight and local mounting situation.

Note on weather protection

Mail items must be fully inserted so that the insertion flaps can close. The insertion front should preferably not be directly exposed to the prevailing weather. Under extreme weather conditions, moisture may penetrate despite norm-compliant execution.

Maintenance and BASIC Plus construction

Stainless steel V2A is low-maintenance and durable. The modular BASIC Plus construction has been designed for straightforward installation and good spare-part availability.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Number of boxes	with 7 letterboxes
Removal of mail	On the front
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height in mm	930
Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	300.0
Total width in mm	400.0
Depth in mm	435.0
Weight in kg	41
Delivery condition	Delivery is made in blocks; freestanding elements / mailbox are delivered in separate parts.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618