6-unit GOETHE letterbox system with 6 newspaper and storage compartments to Swiss postal standards – flush mounting – choice of RAL colour



Product number BML3D-9S9N6ZE2KF

Product description

Flush-mounted letterbox system for six households with Push-Key locks and separate newspaper and storage compartments

This GOETHE series letterbox system combines six letterboxes with six separate newspaper and storage compartments to Swiss postal standards. These provide additional space for newspapers and magazines alongside the letterboxes.

The stainless steel system is designed for flush mounting. A plaster trim frame provides a neat finish against the wall surface. The powder-coated finish is available in your choice of RAL colour to complement your entrance area.

Features of this letterbox system

- Overall external dimensions of the system: 1256 × 854 × 411 mm (W × H × D).
- 6 letterboxes and 6 separate accessory boxes serving as newspaper and storage compartments to Swiss postal standards; all accessed from the front.
- External dimensions of each letterbox and each newspaper and storage compartment: 400 × 200 × 400 mm (W × H × D). The external dimensions do not indicate the usable internal space or the size of parcels that can be accommodated.
- Flush mounting with a plaster trim frame made from 1,5 mm thick V2A 1.4301 stainless steel.
- Material: body made from 1.4016 stainless steel, faceplates and frame made from V2A 1.4301 stainless steel.
- Finish: powder coating in your choice of RAL colour.

Special features of this letterbox system

Six keyed-to-differ Push-Key locks

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Each of the six letterboxes is fitted with its own purely mechanical Push-Key lock. To open it, insert the key without having to turn it. To close it, push the retrieval flap shut.

The locks are keyed to differ and each has an individual key number. Two keys are supplied per lock.

Damped letter flap and well-designed mail retrieval

The letterboxes feature a rainwater run-off edge, a continuous rubber lip and a damped letter flap for quiet mail delivery. The letter slot also accommodates DIN-C4 envelopes.

The retrieval door is designed to keep mail in place when opened. The height of the letter slot and the narrowing of the mail chute make unauthorised retrieval through the slot more difficult.

Separate newspaper and storage compartments to Swiss postal standards

The six additional stainless steel compartments serve as newspaper and storage compartments to Swiss postal standards. They are accessed from the front and open upwards from the bottom.

No locks have been selected for these compartments. The Push-Key locks are fitted exclusively to the six letterboxes. The newspaper and storage compartments are not secure parcel boxes.

Two nameplates per letterbox

Each letterbox has two BASIC Type 2 plastic nameplates made from crystal-clear polycarbonate. There are twelve nameplates in total. You can change the inserts from the front.

A “No advertising, thank you” insert is included. This allows you to display your preference not to receive advertising alongside your name.

Plaster trim frame for a neat wall finish

The plaster trim frame covers the transition between the installation opening and the wall surface. It provides a neat wall finish and is not a rain canopy.

Individually configurable

Tailor your letterbox system to your home: select “Configure now” to adapt this configuration to your requirements.

- Box finish: customise the colour in the 3D configurator using the colours available for this version.
- Personalised lettering: add your own names, house numbers or text to the designated areas. Any lettering shown is an example and can be replaced.
- Lettering style: choose from the fonts available for lettering and adjust the appearance in the configurator.
- Equipment: add or change compatible components from the selection currently available for the system.

When you make individual changes, the dimensions and price are recalculated in the 3D configurator to reflect your selection.

Important information

Water protection: a sheltered location, preferably under a canopy, helps protect your mail. Mail should be fully inserted and the letter flap closed.

Installation: check the mounting surface and installation conditions against the overall dimensions and installation instructions.

Product properties

Series	GOETHE
Access control	Push-Key
Number of boxes	with 6 letterboxes
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Removal of mail	On the front
Surface/colour	RAL of your choice (according to colour table)
Mounting type	Flush-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	200
Width of single box in mm	400
Overall height in mm	854
Total width in mm	1256
Depth in mm	411

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618