GOETHE 2-letterbox unit with 2 milk compartments for newspapers and deliveries – surface-mounted – choice of RAL colour



Product number BML3D-D9C8YK38GN

Product description

GOETHE in your choice of RAL colour: wall-mounted letterbox unit to Swiss Post PTT standard with two milk compartments

This GOETHE letterbox unit from Briefkasten Manufaktur combines two letterboxes with two additional compartments for newspapers and deliveries, known as milk compartments. This allows you to keep your letters separate from newspapers and other items left for you.

The unit is designed for surface mounting. Close-fitting cladding with a flat rain canopy defines its appearance. The powder-coated finish is available in your choice of RAL colour to complement your entrance area.

Features of this letterbox unit

- Overall external dimensions of the unit: 810 × 408 × 425 mm (W × H × D).
- 2 letterboxes with front mail retrieval and 2 additional compartments for newspapers and deliveries, also known as milk compartments; external dimensions of each box: 400 × 200 × 400 mm (W × H × D).
- Surface mounting on a wall; 2 mounting rails, each 710 mm long, are included.
- Body made from 1.4016 stainless steel, front panels from V2A 1.4301 stainless steel.
- Close-fitting cladding made from 3 mm AlMg3 W19 aluminium, with 2 side panels and a flat rain canopy.
- Powder-coated finish in your choice of RAL colour.

Special features of this letterbox unit

Letterboxes to Swiss Post PTT standard

The letterboxes comply with the Swiss Post PTT standard. Their posting slots also accommodate DIN-C4 envelopes.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Both letterboxes feature a rain drainage edge, a continuous rubber lip and a damped letter flap for quiet posting. The lock and retrieval door are arranged so that the door holds the mail in place when opened. The height of the posting slot and the tapering mail chute make unauthorised retrieval through the slot more difficult.

Two differently keyed Push-Key locks

Each of the two letterboxes is fitted with a Push-Key lock. The locks are keyed differently.

Two separate milk compartments for newspapers and deliveries

The two additional compartments are made from stainless steel and open upwards from the bottom. Known as milk compartments, they provide separate storage space, for example for newspapers and magazines.

No lock is selected for these compartments. They are not secure parcel boxes.

Four nameplates with inserts replaceable from the front

Each letterbox has two BASIC Type 2 nameplates made from crystal-clear polycarbonate. There are four nameplates in total. You can replace the inserts from the front.

A “No advertising, thank you” insert is included. This allows you to indicate your preference regarding advertising mail directly on the letterbox.

Individually configurable

Design your letterbox unit to suit your home: select “Configure now” to adapt this configuration to your requirements.

- Box finish: customise the colour in the 3D configurator using the colours offered for this version.
- Personalised lettering: customise the designated areas with your own names, house numbers or text of your choice. Any lettering shown is an example and can be replaced.
- Typography: choose from the fonts available for lettering and adjust the appearance in the configurator.
- Equipment: add or change compatible components from the selection currently available for the unit.

When you make individual changes, the dimensions and price are recalculated in the 3D configurator to reflect your selection.

Important information

Protection from water: a sheltered location, ideally under a canopy, helps protect your mail. Mail should be pushed fully into the letterbox and the letter flap should be closed.

Installation: check the mounting surface and installation location against the overall dimensions and installation instructions.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Series	GOETHE
Access control	Push-Key
Name labelling	Nameplate
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Number of boxes	with 2 letterboxes
Removal of mail	On the front
Surface/colour	RAL of your choice (according to colour table)
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	200
Width of single box in mm	400
Overall height in mm	408
Total width in mm	810
Depth in mm	425

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618