8-unit stainless-steel mailbox system Design BASIC Plus 385XW for side wall mounting - RAL colour of your choice | Left | with 8 mailboxes



Product number 385XW-8S

Product description

Side-mounted BASIC Plus 385XW mailbox system for 8 households – box position left

The BASIC Plus 385XW is a high-quality stainless steel mailbox system for side wall mounting for 8 households. It has been developed for larger multi-family houses and commercially used buildings and allows space-saving installation beside the front door or on a suitable wall surface.

Eight mail compartments are combined in a consistently vertical design. This keeps the system comparatively slim despite the high number of users.

The mailboxes are made of stainless steel V2A 1.4301 and are powder-coated in an RAL or DB colour of your choice. The rain hood and side cladding are also made of stainless steel. The side mounting is via 60.3 mm stainless steel posts with a 240-grit brushed finish.

In this product variant the box position is on the left. The lateral arrangement creates a clear installation edge and allows the mailbox system to be aligned with the building entrance situation.

The advantages of the BASIC Plus 385XW at a glance

Solid stainless steel mounting posts

Side wall mounting is via Ø 60.3 mm posts made of stainless steel V2A 1.4301 with a 240-grit brushed finish. They provide a stable and durable connection between the mailbox system and the building wall.

Side wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The 385XW is mounted laterally on a suitable house wall. The box position for this variant is left; this allows the system to be specifically adapted to the existing entrance situation.

BASIC Plus in stainless steel V2A

Mailboxes, cladding and fastening elements consistently use stainless steel V2A 1.4301. The powder-coated mailboxes combine a high-quality surface with a durable construction.

DIN C4 insertion slot with rubber lip

Each compartment has an insertion opening of 35 × 265 mm suitable for DIN C4 portrait. A noise-damping rubber lip reduces the impact noise of the insertion flap.

Robust solution for 8 households

Eight households benefit from a robust and low-maintenance system that requires little wall width. The modular BASIC Plus construction also facilitates maintenance and spare part installation.

Equipment of the BASIC Plus 385XW for 8 households

Mailbox system

Number of compartments 8 mailboxes
Arrangement 1 column × 8 rows
Material Stainless steel V2A 1.4301
Surface Powder-coated in RAL/DB colour of your choice
Rain hood / side cladding Stainless steel V2A 1.4301, powder-coated to match
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Insertion opening 35 × 265 mm per mailbox, suitable for DIN C4 portrait
Mail volume Approx. 12 litres per mailbox
Insertion flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening Left to right
Keys 16 keys in total, 2 per mailbox
Nameplates 8 replaceable nameplates under the insertion flaps

Side mounting

Box position Left
Mounting posts Ø 60.3 mm stainless steel V2A 1.4301
Post surface 240-grit brushed finish
Mounting method Screwed to a suitable house wall
Fixings Choose anchor bolts or coach screws on-site appropriate to the wall
Standard Mailboxes conforming to DIN EN 13724

Note on side wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be clean, level and sufficiently load-bearing for the weight of the complete mailbox system. Anchor bolts or coach screws are not included and must be selected on-site to suit the wall construction, system weight and local installation situation.

Note on weather protection

Mail items must be fully inserted so that the insertion flaps can close. The insertion front should preferably not face the main weather exposure. Under extreme weather conditions, moisture can penetrate despite norm-compliant construction.

Care and BASIC Plus construction

Stainless steel V2A is low-maintenance and durable. The modular BASIC Plus construction has been designed for straightforward installation and good spare part availability.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Removal of mail	On the front
Mounting type	Surface-mounted
Number of boxes	with 8 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height in mm	1040
Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	300.0
Total width in mm	400.0
Depth in mm	435.0
Weight in kg	45
Delivery condition	Delivery is made in blocks; freestanding elements / mailbox supplied in separate parts.


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618