Designer flush-mounted mailbox GOETHE UP - RAL colour of your choice - doorbell-intercom unit - CUSTOMISABLE | without newspaper compartment | Individualised preparation | 200mm depth



Product number 215-UP-1-SP-IND-200

Product description

Design flush-mounted mailbox GOETHE UP - RAL colour of your choice - Doorbell and intercom unit

High-quality flush-mounted mailbox with doorbell and intercom unit in a flush-mounted design. The modern GOETHE mailbox is ideal for an upscale entrance area. The clean-lined shape without a visible lock gives this mailbox an especially elegant appearance. The individually configurable doorbell and intercom unit is available with a flush-mounted doorbell push button, a nameplate or lettering in combination with your chosen intercom station preparation (built-in loudspeaker not included) and/or camera preparation.

The dimensions of the single box provide a capacity of approx. 16 litres; the large slot guarantees that DIN C4 envelopes and magazines — or post accumulated during several days' absence — remain uncreased. The innovative Push-Key lock is concealed invisibly inside the mailbox. The key is simply inserted into the opening provided (no turning required) and the door opens. The lock's arrangement is designed so that the retrieval door prevents mail from falling out towards you. An integrated water drainage edge optimally protects the mail inside from the weather. The mail flap is fitted with high-quality hinge dampers, ensuring quiet closing and preventing annoying rattling caused by weather conditions.

The mailbox systems in the GOETHE collection are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility/modularity, easy spare-part assembly and straightforward self-installation. Spare parts for all GOETHE systems are available directly from our shop.

Thanks to the design, self-installation is uncomplicated.

Registered utility model according to DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- Flush-mounted mailbox completely made of stainless steel.
- Quality manufacture - Made in Germany by Briefkasten Manufaktur Lippe.
- Mailbox (H x W 400 x 400 mm) made of stainless steel 1.4016 (non-corroding magnetic stainless steel), powder-coated in a RAL colour of your choice.
- Innovative Push-Key lock with 2 keys.
- Letters are inserted and retrieved from the front. Mail flap with high-quality hinge dampers for very quiet insertion of mail.
- The mailbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape; large letters fit without folding.
- Retrieval door opens from top to bottom, preventing mail from falling out towards you.
- Optional house number inscription approx. 70–80 mm high.
- Function box (H x W 400 x 200 mm) made of stainless steel 1.4016 (non-corroding magnetic stainless steel), powder-coated in a RAL colour of your choice.
- Optionally interchangeable nameplate in stainless steel with laser engraving, plexiglass nameplate or illuminated direct lettering.
- 8–12 V DC short-stroke doorbell push button with LED ring illumination (blue, white, red or green). The illumination of the doorbell push buttons cannot be powered via the control unit; it must be connected to an additional 8–12 V DC power supply.
- An optional 8–12 V DC short-travel illuminated push button with pictogram is available.
- Preparation for intercom system possible (built-in loudspeaker not included).
- Optional with universal adapter for all common built-in loudspeakers.
- Optional preparation for a camera (camera not included).
- Optimal protection from rain thanks to rain-drainage edges.
- Plaster cover frame made of stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.

Important information

Camera or intercom station preparation

We recommend that electrical installation should always be carried out by a qualified electrician.

We offer intercom station preparations for various manufacturers for our mailboxes. The preparation does not include end devices; it comprises the provision of screw mountings, drillings and punched holes so that you can mount your device without difficulty.

Water protection

To achieve optimal protection of your mail from water, the mailbox or mailbox system should, if possible, be located under a canopy.

Mail is only protected from water when it is placed completely inside the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not grounds for complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Number of bell push buttons	1 button
Functions	Newspaper compartment, Light button, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey, Comelit, Schneider Intercom / COMMEND
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Jumbo > 30 litres
Mounting type	Flush-mounted

Dimensions

Height of single box in mm	BK 400.0 | FK 200.0
Width of single box in mm	400,0
Capacity in litres	16
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Height of letterbox in mm	External dimension 652.0 | installation dimension 620.0
Width of letterbox system in mm	External dimension 452.0 | installation dimension 420.0
Total width in mm	External dimension 452.0 | installation dimension 420.0
Depth in mm	100.0 | installation dimension 103.5
Weight in kg	12
Delivery condition	Delivery is assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618