Freestanding mailbox STORM for 1 household – RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | with 1 mailbox



Product number 480STQ-1-7016

Product description

Freestanding mailbox STORM for 1 household – high-quality design in RAL 7016

The STORM freestanding mailbox system for 1 household combines a clear, modern design with very high material and manufacturing quality. Thanks to the freestanding construction, the mailbox can be positioned independently of the house façade directly at the property entrance, by the driveway or along the access path. The system is conceived as a durable entrance solution for residential and commercial properties and is manufactured by the Briefkasten Manufaktur in Germany.

The mailbox, the canopy and the side claddings are made of **high-quality galvanised steel** and are powder-coated in **RAL 7016 Anthracite grey, fine-textured matt**. These are contrasted by **40 × 40 mm support posts in stainless steel V2A 1.4301, brushed**, creating a deliberately high-quality material contrast. The combination of the fine-textured anthracite-grey surface and brushed stainless steel defines the quality character of the STORM series.

Each mailbox has a 35 × 340 mm deposit slot for DIN C4 post in landscape format. Noise-damping rubber buffers, a downward-opening collection door with opening stop, a mail retention bar and two keys with key number per mailbox provide comfortable use. The mailboxes comply with DIN EN 13724.

The advantages of the STORM freestanding mailbox system at a glance

Ideal for premium single-family homes

The STORM freestanding mailbox combines a clear architecture with very high material and manufacturing quality. The standard-compliant mailbox is manufactured in Germany and is particularly suitable for premium single-family homes, modern new-builds and carefully designed property entrances.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Very high material quality of the mailboxes

The mailbox as well as the canopy and side claddings are made of galvanised steel. The powder coating in RAL 7016 Anthracite grey, fine-textured matt creates a high-quality, homogeneous surface and emphasises the straightforward architecture of the system.

High-quality support posts in brushed stainless steel

The 40 × 40 mm support posts are made of stainless steel V2A 1.4301 and have a brushed finish. The high-quality stainless steel forms the robust basis of the system and provides a deliberately elegant contrast to the anthracite-grey mailbox surface.

DIN C4 slot and convenient mail retrieval

The mailbox features a 35 × 340 mm deposit slot for DIN C4 envelopes in landscape orientation. Rubber buffers reduce impact noise; opening stop and mail retention bar support comfortable retrieval.

Freestanding and flexibly configurable

The freestanding system can be supplied either with support posts for setting in concrete or for screw mounting on a suitable foundation. For screw mounting, the appropriate anchor bolts must be selected separately according to the foundation and local installation conditions.

Equipment and high-quality materials

Mailbox and finish

Number of mailboxes 1 separately lockable mailbox
Arrangement 1 mailbox
Material of mailboxes Steel, galvanised
Mailbox finish RAL 7016 Anthracite grey, fine-textured matt, powder-coated
Canopy and side cladding Galvanised steel, RAL 7016 Anthracite grey, fine-textured matt
Standard Mailboxes in accordance with DIN EN 13724

Mail convenience

Deposit slot 35 × 340 mm per mailbox, suitable for DIN C4 landscape
Deposit flaps With high-quality, noise-damping rubber buffers
Mail retrieval Front-facing, door opens downwards with opening stop
Mail retention bar Integrated in each mailbox
Keys 2 keys in total, 2 per mailbox, with key number
Nameplates 1 protected interchangeable nameplate under the deposit flap

Support posts and mounting

Material of support posts Stainless steel V2A 1.4301
Cross-section 40 × 40 mm
Support post finish Stainless steel, brushed
Types of installation Either for setting in concrete or for screw mounting
Anchor bolts Not included for screw mounting; to be selected separately to suit the foundation

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Manufacturing Made in Germany by Briefkasten Manufaktur Lippe

Installation by setting in concrete

The stainless steel support posts must be anchored plumb in a suitably sized foundation. Foundation dimensions and design must be adapted to ground conditions, system weight and local loads.

Screw mounting on a foundation

A flat and load-bearing foundation is required for screw mounting. The necessary anchor bolts are not included and must be selected separately to suit the existing foundation design.

Note on weather protection

For optimal protection, mail items must be fully inserted so that the deposit flaps can close completely. A sheltered location further reduces direct exposure to the weather.

Product properties

Material	Steel, galvanised
Series	STORM
Boxes by volume	Normal > 10 litres
Mounting type	Free-standing
House number	House number as laser engraving
Surface/colour	RAL 7016 anthracite grey
Name labelling	Laser-engraved
Removal of mail	On the front
Number of boxes	with 1 letterbox

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	330.0
Width of single box in mm	370.0
Capacity in litres	12.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	340.0
Height of letterbox in mm	331.5
Width of letterbox system in mm	372.0 | 381.0
Overall height in mm	1200.0 | 1500.0 + 30.0
Total width in mm	372.0 | 381.0
Depth in mm	100.0 + 40.0
Weight in kg	14
Delivery condition	Mounting kit for self-installation


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618