Designer surface-mounted mailbox GOETHE AP - RAL colour of your choice | 200mm depth | with 1 mailbox

Product number 215-AP-1-200



Product description

Design surface-mounted letterbox GOETHE® AP - RAL of your choice

The modern surface-mounted letterbox GOETHE® is ideal for an upscale entrance area. The linear design without a visible lock gives this letterbox an especially elegant appearance.

The dimensions of the single box allow a capacity of approx. 16 or 32 litres; the large letter slot ensures that even DIN C4 envelopes and magazines, or post after several days away, remain uncreased. The innovative Push-Key lock is concealed inside the letterbox. The key is simply inserted into the existing opening (no turning required) and the door opens. With the lock positioned in this way, the letterbox is designed so that the retrieval door prevents your post from falling out towards you. Thanks to the water runoff edge, the internal post is optimally protected from the weather. The letter flap is fitted with high-quality pivot dampers, ensuring quiet closing and preventing annoying rattling due to weather conditions.

The surface-mounted letterbox systems of the GOETHE® collection are distinguished by the consistent use of stainless steel and aluminium. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, simple spare-part assembly and straightforward self-assembly. Spare parts for all GOETHE® systems are available directly in our shop.

Thanks to the design, self-assembly is straightforward.

Protected utility model under DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality surface-mounted letterbox made of stainless steel and aluminium.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Letterbox (BH 400x400 mm) made from stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice.
- Innovative Push-Key lock with two keys.
- Letters are inserted and removed from the front. Letter flap with high-quality pivot dampers for very quiet insertion of post.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape—large letters fit without bending.
- The retrieval door opens from top to bottom, so your post cannot fall out towards you.
- Optional name inscription approx. 15–20 mm high.
- Optional house number inscription approx. 70–80 mm high.
- Optimal protection from rain by means of water runoff edges and a rain hood made from 3 mm aluminium AlMg3 W19, powder-coated in RAL of your choice.
- Side cladding made from 3 mm aluminium AlMg3 W19, powder-coated in RAL of your choice.
- Includes mounting rail for wall installation.

Important information:

For optimal water protection of your post, the letterbox or letterbox system should, if possible, be located under a canopy.

Mail is only protected from water if it is placed completely inside the box and the letter flap is closed. Post that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against water ingress in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Jumbo > 30 litres
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	400,0
Width of single box in mm	400,0
Capacity in litres	16,0 | 32,0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Total width in mm	408,0
Depth in mm	100.0 | 200.0 + 25.0 Rain roof
Weight in kg	10
Delivery condition	Delivery is assembled

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618