Design letterbox pedestal GRIMM - rear removal - polished stainless steel with COMELIT Ultra - VIDEO set | Comelit Ultra | Rear mail retrieval | Stainless steel, brushed



Product number 562-STL-PE-H-SPO-1-VA-CSU

Product description

Design Mailbox Column GRIMM with Comelit Video Intercom – Modern Technology Meets Timeless Design

The GRIMM mailbox column with rear retrieval combines modern design, precise craftsmanship, and high-quality materials – ideal for builders, architects, and homeowners looking for a freestanding, elegant, and durable solution with an integrated Comelit video intercom. Manufactured from robust stainless steel and fully “Made in Germany” by the Lippe Mailbox Manufactory, this column epitomises quality, functionality, and timeless design. The brushed front panel made of 2 mm stainless steel V2A impresses with high corrosion resistance and a clear line that harmoniously fits into any modern architecture.

At the centre is the Comelit Ultra video intercom, available in either 2-wire technology or ViP (IP technology). Both systems allow for comfortable, secure, and connected door communication. Through the Comelit app, visitors can be seen at any time, spoken to, and doors or gates opened when necessary – whether at home or on the go. Thus, the GRIMM mailbox column combines modern technology with the highest level of user comfort.

The GRIMM mailbox impresses with modern design, high-quality craftsmanship, and thoughtful functionality. Equipped with a classic stainless steel lever lock, including a dust cover, the locking mechanism is reliably protected against weather influences and guarantees a long service life. Mail is comfortably retrieved from the back – ideal when the mailbox is integrated into a wall or fence system. Mail insertion occurs from the front and is supported by high-quality axle dampers, allowing for a gentle and quiet closing of the insertion flap. Thanks to the practical design, your mail remains secure in the box even when the flap is opened. The GRIMM is particularly versatile with its double-box system: the column can be installed during the shell construction phase, while the front panel is only mounted after the completion of the construction work. This protects the mailbox from dirt and damage during the construction period and ensures a perfect look upon moving in.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The GRIMM mailbox column meets the requirements of DIN/EN 13724, making it suitable for letters in the C4 format – without bending or damage. Quality, durability, and precision are just as much the focus here as a clear, modern appearance.

A special feature of the Design Mailbox Column GRIMM is the fully welded stand column made of solid stainless steel V2A 1.4301 powder-coated in a colour of choice. This construction guarantees maximum stability and an exceptionally long service life – even with prolonged outdoor use. The fully welded construction results in a seamless, robust body without visible screw or plug connections, which not only emphasises the elegant appearance but also prevents the ingress of moisture and dirt. The precisely ground seams ensure a homogeneous appearance and give the column a particularly high-quality feel. Additionally, the construction allows for invisible cable routing within the column, so that all electrical connections for the COMELIT Ultra video intercom and other smart home components can be safely and securely installed. This unique manufacturing process sets new standards in design and functionality, making the mailbox column GRIMM a future-proof solution for modern architectural projects.

- High-quality mailbox column made entirely of stainless steel V2A for freestanding installation.
- Front panel made of 2 mm stainless steel V2A 1.4301, brushed.
- Quality manufacturing – Made in Germany by Lippe Mailbox Manufactory.
- Integrated Comelit Ultra in two modern connection variants – 2-wire technology and ViP (IP technology). Both systems impress with high flexibility, easy installation, and future-proof network integration.
- High-quality lever lock including 2 keys with key number.
- The rear retrieval door with opening limiter opens from top to bottom to prevent the mail from falling out.
- Front mail insertion with high-quality axle dampers for a very quiet mail drop.
- DIN/EN 13724 compliant mailbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape – even large letters remain intact. Additional retrieval protection made of stainless steel integrated.
- Optimal weather protection through recessed panel.
- Double-box system: the panel can be conveniently installed after construction work is completed and can be replaced at any time.
- The fully welded stand column is made of 2mm stainless steel V2A 1.4301, brushed. Height is 1.70 m.
- Invisible cable entry possible through the body.
- The column is equipped with a base plate made of VA. This is 10 mm thick and is refined with a cover panel, concealing the fixing dowels.

Important Information:

To achieve optimal water protection for your mail, the mailbox or mailbox system should ideally be located under a canopy.

Your mail is only protected from water if it is completely placed inside the box and the insertion flap is closed. Incomplete mail insertion allows moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a grounds for complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Series	GRIMM
Connection technology	2-wire, LAN
Number of bell push buttons	1 button
Functions	Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	Comelit
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Name labelling	Laser-engraved
Number of boxes	with 1 letterbox
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Removal of mail	On the back

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	External dimension 750.0 | Installation dimension 710.0
Width of single box in mm	External dimensions 450.0 | Installation dimensions 410.0
Capacity in litres	26.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	External dimension 750.0 | Installation dimension 710.0
Width of letterbox system in mm	External dimensions 450.0 | Installation dimensions 410.0
Overall height in mm	1700.0
Total width in mm	Korpus 490.0 | Base Plate 580.0
Depth in mm	Korpus 150.0 | Base plate 242.0
Weight in kg	65
Delivery condition	Delivery is done assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618