Designer flush-mounted letterbox GOETHE UP with side newspaper compartment - RAL colour of your choice - Prepared for LOXONE Intercom | Left | with newspaper compartment | Prepared for dual LOXONE Intercom + Code Touch



Product number 215-UP-1-SPSZF-LX-L-LOX2H

Product description

Design recessed letterbox GOETHE UP side-mounted with newspaper compartment - RAL of your choice - LOXONE Intercom prepared

High-quality recessed letterbox with newspaper compartment and side-mounted LOXONE intercom in a flush-mounted design. The modern GOETHE letterbox is ideal for a sophisticated entrance area. The clean-lined design without a visible lock gives this letterbox a particularly elegant appearance. The LOXONE intercom can be integrated seamlessly into the flush-mounted design and exchanged at any time. The preparation is provided for 1 x LOXONE intercom (including opening for sound output) or 1 x LOXONE intercom (including opening for sound output) + 1 x LOXONE NFC Code Touch/Touch Pure.

The dimensions of the single box allow a capacity of approx. 16 litres; the large inlet guarantees that DIN-C4 envelopes and magazines, or mail after several days' absence, do not arrive creased. The innovative Push-Key lock is hidden invisibly inside the letterbox. The key is simply inserted into the existing opening (no turning required) and the door opens. Due to the arrangement of the lock, this letterbox is designed so that the collection door prevents the post from falling towards you. Thanks to the water drainage edge, the internal mail is optimally protected from the weather. The inlet flap is fitted with high-quality pivot dampers, ensuring a very quiet closing and preventing annoying rattling caused by the weather.

The GOETHE collection letterbox systems are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, simple spare-part assembly and uncomplicated self-installation. Spare parts for all GOETHE systems are available directly in our shop.

Thanks to the construction design, self-installation is straightforward.

Protected utility model according to DPMA file reference DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- Recessed letterbox completely made of stainless steel.
- Quality manufacture - Made in Germany by Briefkasten Manufaktur Lippe.
- Letterbox (BH 400x400mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice.
- Innovative Push-Key lock with 2 keys.
- Letters are deposited and removed from the front. Inlet flap with high-quality pivot dampers for very quiet posting.
- The letterbox complies with DIN/EN 13724. Inlet size (3.5 cm x 36.0 cm) for C4 landscape; large items fit in without bending.
- Collection door opens from top to bottom. This prevents your post from falling towards you.
- Newspaper compartment (BH 400x200mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice with stainless steel laser inscription "ZEITUNG" (font ARIAL; if name/house number, then in your chosen font).
- Newspaper compartment opens from bottom to top.
- Function compartment (BH 200x600mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice.
- Optionally with house number, laser-cut or backlit in white including EVN LED power supply / transformer IP65 12V/DC 0.1−4W for the LED illumination of the house number.
- Optionally with name inscription, laser-cut or engraved-through (illuminated).
- Plaster cover frame made from 2 mm stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.
- **WITHOUT LOXONE Intercom/System components!**

Important information

Camera or intercom station preparation

We recommend that the electrical installation is always carried out by a qualified electrician.

We offer preparation for intercom stations from various manufacturers for our letterboxes. The preparation does not include end devices; it consists of providing the screw fixings, drillings & cut-outs so that you can mount your end device without difficulty.

Water protection

To achieve optimal protection of your mail from water, the letterbox or letterbox system should, where possible, be located under a canopy.

Mail is only protected from water if it is placed fully inside the box and the inlet flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This unit is protected against the ingress of water according to DIN EN 13724. Water ingress is not a reason for complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Functions	Newspaper compartment, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	LOXONE
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Flush-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 400.0 | ZF 200.0
Width of single box in mm	400,0
Capacity in litres	BK 16.0 | ZF 8.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Height of letterbox in mm	External dimension 652.0 | installation dimension 605.0
Width of letterbox system in mm	External dimension 652.0 | installation dimension 605.0
Overall height in mm	recommended 1500.0 - 1700.0
Total width in mm	650,0
Depth in mm	100.0 | installation dimension 103.5
Weight in kg	21
Delivery condition	Delivery is assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618