# 7-unit surface-mounted mailbox system Design BASIC 385A AP - stainless steel, RAL 7016 anthracite | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | BI-Color brushed stainless steel | RAL 7016 anthracite grey | with 7 mailboxes



**Product number** 385A-7016VA-7S

## Product description

## Slim surface-mounted mailbox system BASIC 385A for 7 households – BI-Color RAL 7016 / stainless steel

The BASIC 385A surface-mounted mailbox system for 7 households is a robust wall solution for multi-family houses, residential complexes and commercially used properties. The vertically organised S configuration reduces the horizontal space requirement and makes particularly efficient use of the available wall height.

The BI-Color version combines anthracite grey powder-coated mailbox bodies with brushed stainless steel V2A elements. The material contrast gives the BASIC system a high-quality, modern appearance.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of capacity. The 35 × 265 mm insertion opening is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox is supplied with two keys bearing a key number and an interchangeable nameplate located beneath the letter flap.

## The advantages of the BASIC 385A surface-mounted system at a glance

### Rain hood and side cladding

Rain hood and side panels unite the individual mailboxes into a cohesive surface-mounted system. The coordinated cladding ensures a calm front and a neat finish at the façade.

### DIN C4 insertion and 12 litres capacity

The 300 × 110 × 385 mm (W × H × D) compartments each offer approx. 12 litres of capacity. The 35 × 265 mm insertion opening also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

### Quiet posting and secure allocation

The rubber lip damps the letter flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure a clear allocation of the individual mailboxes.

### Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail simplifies assembly; fixings with screws and wall plugs are included in the described configuration.

### BI-Color in anthracite and stainless steel

RAL 7016 anthracite grey fine-texture matt is combined with brushed stainless steel accents to create a striking material contrast. The system is manufactured in Germany at the Briefkasten Manufaktur.

## Equipment of the BASIC 385A mailbox system

### Mailbox system

**Number of mailboxes** 7 separately lockable compartments
**Individual mailbox** 300 × 110 × 385 mm (W × H × D)
**Volume** Approx. 12 litres per mailbox
**Material** BI-Color: galvanised steel in RAL 7016 with stainless steel V2A accents
**Finish** RAL 7016 anthracite grey fine-texture matt / stainless steel V2A brushed
**Standard** DIN EN 13724

### Mail and operation

**Letter slot** 35 × 265 mm, suitable for DIN C4 portrait
**Letter flaps** With noise-damping rubber lip
**Mail retrieval** Front access
**Door opening** From left to right
**Keys** 2 keys with key number per mailbox
**Nameplate** Interchangeable nameplate beneath the letter flap

### Cladding and wall mounting

**Side cladding** Close-fitting design
**Rain hood** Robust, matching design
**Installation type** Surface-mounted wall installation
**Installation aid** Mounting rail
**Fixings** Screws and wall plugs included; suitability for the on-site wall structure must be checked
**Manufacturing** Made in Germany by Briefkasten Manufaktur Lippe

#### Note on wall installation

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall structure; for other substrates or external thermal insulation composite systems (ETICS), appropriate fixing solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

**Note on weather protection**

Mail is only optimally protected from moisture and dirt when items are fully inserted and the letter flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

## Product properties

| | |
|---|---|
| **Material** | Steel, galvanised, Stainless steel V2A 1.4301 |
| **Series** | BASIC |
| **Boxes by volume** | Normal > 10 litres |
| **Name labelling** | Nameplate |
| **Number of boxes** | with 7 letterboxes |
| **Surface/colour** | RAL 7016 anthracite grey, Brushed |
| **Removal of mail** | On the front |
| **Mounting type** | Surface-mounted |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimensions

| | |
|---|---|
| **Height of single box in mm** | 110.0 |
| **Width of single box in mm** | 300.0 |
| **Capacity in litres** | 12 |
| **Height of letterbox slot in mm** | 35.0 |
| **Width of letter slot in mm** | 265.0 |
| **Height of letterbox in mm** | 770.0 |
| **Width of letterbox system in mm** | 300.0 |
| **Total width in mm** | 465.0 |
| **Depth in mm** | 435.0 |
| **Weight in kg** | 40 |
| **Delivery condition** | Supplied fully assembled. |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618








Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618