3-unit surface-mounted mailbox system Design BASIC Plus 385 XA 220 - stainless steel - RAL colour of your choice | 300x220x385 mm (WxHxD) - ???? Large 25 litres | BI-Color VA brushed | ? Colour of your choice | with 3 mailboxes (1x3)



Product number 385XA220-RALVA-3

Product description

Surface-mounted mailbox system BASIC Plus 385XA 220 for 3 households – 25 litres per compartment – BI-Colour RAL / Stainless steel

The BASIC Plus 385XA surface-mounted mailbox system for 3 households is a robust wall solution for apartment buildings, smaller residential complexes as well as office and medical practice properties. The balanced layout groups all mail compartments into a clearly structured and visually unified wall unit.

The BASIC Plus BI-Colour version combines powder-coated stainless steel V2A in a RAL colour of your choice with brushed stainless-steel accents. This creates an individual, high-quality material combination for modern façades.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of volume. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys bearing a key number and an interchangeable nameplate located beneath the flap.

The advantages of the BASIC Plus 385XA 220 surface-mounted system at a glance

Rain hood and side panels

Rain hood and side panels unite the individual mail compartments into a closed surface-mounted unit. The coordinated cladding provides a calm front and a neat finish on the façade.

25 litres mail volume per compartment

The mail compartments measuring 300 × 220 × 385 mm (W × H × D) each provide approx. 25 litres of volume. The 35 × 265 mm aperture also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure assignment

The rubber lip damps the insertion flap. Robust locks, two keys with a key number and protected interchangeable nameplates ensure clear assignment of each mailbox.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade installation. A mounting rail simplifies installation; fixing materials including screws and wall plugs are included in the described configuration.

BI-Colour with RAL and stainless steel

The combination of a freely selectable RAL powder coating and brushed stainless steel creates targeted contrasts and emphasises the high-quality BASIC Plus design. BASIC Plus further stands for consistent use of V2A stainless steel, modular construction and directly available spare parts.

Equipment of the BASIC Plus 385XA 220 mailbox system

Mailbox system

Number of mailboxes 3 individually lockable compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per mailbox
Material Stainless steel V2A in BI-Colour version: RAL powder coating with brushed stainless-steel accents
Finish BI-Colour: RAL colour of your choice / brushed stainless steel V2A
Standard DIN EN 13724

Mail and operation

Aperture 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With sound-dampening rubber lip
Mail collection Front access
Door opening Left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the flap

Cladding and wall installation

Side panel Close-fitting design
Rain hood Robust, matching design
Installation type Surface-mounted wall installation
Installation aid Mounting rail
BASIC Plus Modular construction with readily available spare parts
Fixing materials Screws and wall plugs included; check suitability for on-site wall mounting
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall installation

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they suit the existing wall construction; for other substrates or external thermal insulation systems, suitable fixing solutions must be specified on site.

Note on weather protection

Mail is best protected from moisture and soiling only when items are fully inserted and the flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

BASIC Plus construction

The BASIC Plus range consistently relies on V2A stainless steel and a modular, installation-friendly construction. Spare parts for BASIC Plus systems are directly available.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	300.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	26
Delivery condition	Delivered fully assembled


Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618






Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618