Design letterbox pedestal GRIMM - rear removal - polished stainless steel with Ekinex Dico IP video intercom system | Rear mail retrieval | Ekinex DICO | Stainless steel, brushed



Product number 562-STL-PE-H-SPO-1-VA-EKX

Product description

Design Mailbox Column GRIMM with Ekinex Dico IP Intercom – A Masterpiece of Mailbox Manufacturing

The GRIMM mailbox column combines modern design with first-class craftsmanship – ideal for discerning builders and architects. Manufactured from high-quality stainless steel and fully "Made in Germany" by the Lippe Mailbox Manufacture, this model stands for durability, functionality, and stylish appearance. The brushed front panel made of 2 mm V2A stainless steel 1.4301 impresses with its timeless look and high corrosion resistance.

Particularly noteworthy is the seamless integration of the Ekinex IP Dico intercom with the Delégo Panel in sizes 4, 8, or 10 inches. This high-quality solution offers modern IP-based door communication with touch control, intelligent management, and brilliant image and sound quality. The precise fitting into the front panel creates a harmonious overall appearance – perfectly coordinated with the architecture of modern residential and commercial buildings. The Delégo Panels allow for convenient control directly at the door or centrally within the building, offering various options for building networking.

The GRIMM mailbox impresses with modern design, high-quality processing, and thoughtful functionality. Equipped with a classic lever lock made of stainless steel, including a dust cover, the locking mechanism is reliably protected against weather influences, ensuring a long lifespan. Mail retrieval is conveniently from the rear – ideal when the mailbox is integrated into a wall or fence structure. Mail insertion occurs from the front and is supported by high-quality axle dampers, allowing the slot lid to close smoothly and quietly. Thanks to the practical design, your mail remains secure in the box even when the flap is opened. The GRIMM is particularly versatile with its double box system: the column can be installed during the rough construction phase, while the front panel is only mounted after the construction work is completed. This protects the mailbox from dirt and damage during the construction period and ensures a perfect appearance upon moving in.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

According to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creasing. The GRIMM mailbox impresses with its durable quality, timeless design, and thoughtful functionality.

A special feature of the Design Mailbox Column GRIMM is the fully welded stand column made of solid V2A stainless steel 1.4301. This construction guarantees maximum stability and an exceptionally long lifespan – even with continuous outdoor use. The fully welded structure creates a seamless, sturdy body without visible screws or connections, which not only emphasizes the elegant appearance but also prevents moisture and dirt from entering. The precisely ground seams provide a homogeneous look and give the column a particularly high-quality impression. Additionally, the design allows for invisible cable routing within the column, so all electrical connections for the Ekinex intercom as well as other smart home components can be safely and securely installed. This unique manufacturing method sets new standards in design and functionality and makes the GRIMM mailbox column a future-proof solution for modern architectural projects.

- High-quality mailbox column made entirely of stainless steel for free-standing installation.
- Front panel made of 2 mm V2A stainless steel 1.4301, brushed.
- Quality manufacturing – Made in Germany by Lippe Mailbox Manufacture.
- Integrated Ekinex Dico IP door phone with Delégo panel in sizes 4, 8, or 10 inches available.
- High-quality lever lock including 2 keys with key number.
- The rear access door with opening limiter opens from top to bottom to prevent mail from falling out.
- Front insertion with high-quality axle dampers for very quiet mail insertion.
- DIN/EN 13724 compliant mailbox, insertion size (3.5 cm x 32.5 cm) for C4 across – even large letters remain intact. Additional stainless steel retrieval protection integrated.
- Optimal weather protection through recessed panel.
- Double box system: The panel can be conveniently installed after construction work is completed and can be replaced at any time.
- The fully welded stand column is made of 2mm V2A stainless steel 1.4301, brushed. The height is 1.70 m.
- Invisible cable supply possible through the body.
- The column is equipped with a base plate made of stainless steel. This is 10 mm thick and is finished with a cover panel. This conceals the mounting dowels.

Important Information:

To achieve optimal water protection for your mail, the mailbox or mailbox system should, if possible, be situated under a canopy.

Mail is only protected from water when it is entirely placed in the box and the insertion flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not grounds for complaint.

Product properties

Series	GRIMM
Connection technology	LAN
Number of bell push buttons	1 button, 2 buttons, 3 buttons, 4 buttons, 5 buttons, 6 buttons, 7 buttons, 8 buttons, 9 buttons, 10 buttons, 11 buttons, 12 buttons, up to 100 bell buttons, 13 buttons, 14 buttons, 15 buttons, 16 buttons, 17 buttons, 18 buttons, 19 buttons, 20 buttons, 21 buttons, 22 buttons, 23 buttons, 24 buttons
Functions	Camera, Intercom, Keypad, Monitor
Functional box prepared for manufacturer	Ekinex
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Number of boxes	with 1 letterbox
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Removal of mail	On the back

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	Outer dimension 750.0 | Installation dimension 710.0
Width of single box in mm	External dimensions 450.0 | Installation dimensions 410.0
Capacity in litres	26.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	External dimension 750.0 | Installation dimension 710.0
Width of letterbox system in mm	External dimensions 450.0 | Installation dimensions 410.0
Overall height in mm	1700.0
Total width in mm	Korpus 490.0 | Base plate 580.0
Depth in mm	Korpuss 150.0 | Base Plate 242.0
Weight in kg	65
Delivery condition	Delivery is provided assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618