# 4-mailbox GOETHE system with 4 milk compartments for newspapers and storage – surface-mounted – choice of RAL colour

**Product number** BML3D-5XB3VXD5X3



## Product description

## GOETHE for four mail recipients, with separate milk compartments and mailboxes compliant with the Swiss PTT postal standard

This mailbox system from the GOETHE series combines four mailboxes with four separate newspaper/storage compartments serving as milk compartments. The mailboxes comply with the Swiss PTT postal standard. The system is supplied for surface mounting, with close-fitting cladding and a flat rain canopy.

The powder-coated finish in your choice of RAL colour combines stainless steel boxes with aluminium cladding. Four differently keyed Push-Key locks and two nameplates per mailbox complete the specification.

### Features of this mailbox system

- Overall external dimensions of the system: 810 × 808 × 425 mm (W × H × D).
- 4 mailboxes with front mail retrieval and 4 separate milk compartments for newspapers and storage; external dimensions of each box: 400 × 200 × 400 mm (W × H × D), not usable internal dimensions.
- Surface mounting with 2 supplied wall-mounting rails, each 710 mm long.
- Body made from 1.4016 stainless steel, front panels made from V2A 1.4301 stainless steel.
- Close-fitting, 3 mm thick cladding made from AlMg3 W19 aluminium, with 2 side panels and a flat rain canopy.
- Powder-coated finish in your choice of RAL colour.

### Special features of this mailbox system

#### Mailboxes compliant with the Swiss PTT postal standard

The mailboxes comply with the Swiss PTT postal standard. Each of the four mailboxes is complemented by a separate newspaper/storage compartment, known as a milk compartment.

#### Four differently keyed Push-Key locks

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Each mailbox is fitted with a Push-Key lock. The four locks are keyed differently.

Mail is retrieved from the front. The arrangement of the lock and retrieval door is designed to prevent mail from falling out when the door is opened.

### Damped mail flap and built-in water protection

The mailboxes feature a damped mail flap for quiet delivery, a continuous rubber lip and a rainwater run-off edge. The mail slot is designed for DIN-C4 envelopes.

The flat rain canopy finishes the top of the cladding. A sheltered location, preferably under a canopy, helps protect your mail.

### Four separate milk compartments

The four stainless steel newspaper/storage compartments serve as milk compartments and provide separate storage space. They open upwards from the bottom.

No lock is selected for these compartments. They are not secure parcel boxes.

### Two nameplates per mailbox

The system includes a total of eight BASIC Type 2 nameplates made from crystal-clear polycarbonate. The inserts can be changed from the front.

Two nameplates are provided for each mailbox. The supplied “No junk mail, thank you” insert lets you display a notice about advertising mail alongside your name.

## Individually configurable

Design your mailbox system to suit your home: select “Configure now” to adapt this configuration to your preferences.

- Box finish: customise the colour in the 3D configurator using the colours available for this version.
- Personalised lettering: customise the designated areas with your own names, house numbers or chosen text. Any lettering shown is an example and can be replaced.
- Font styling: choose from the fonts available for lettering and adjust the appearance in the configurator.
- Equipment: add or change compatible components from the selection available for this system.

When you make individual changes, the dimensions and price are recalculated in the 3D configurator to reflect your selection.

**Important information**

Water protection: a sheltered location, preferably under a canopy, helps protect your mail. Mail should be inserted fully and the mail flap should be closed.

Installation: check the mounting surface and installation conditions against the overall dimensions and installation instructions.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# Product properties

| | |
|---|---|
| **Series** | GOETHE |
| **Access control** | Push-Key |
| **Number of boxes** | with 4 letterboxes |
| **Name labelling** | Nameplate |
| **Material** | Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel) |
| **Removal of mail** | On the front |
| **Surface/colour** | RAL of your choice (according to colour table) |
| **Mounting type** | Surface-mounted |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimensions

| | |
|---|---|
| **Height of single box in mm** | 200 |
| **Width of single box in mm** | 400 |
| **Overall height in mm** | 808 |
| **Total width in mm** | 810 |
| **Depth in mm** | 425 |

### Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# More images







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618