6-unit stainless-steel mailbox system Design BASIC Plus 385XW for side wall mounting - RAL colour of your choice | Right | with 6 mailboxes (1x6)



Product number 385XW-6S-R

Product description

Side-mounted BASIC Plus 385XW mailbox system for 6 dwellings – box position right

The BASIC Plus 385XW is a high-quality stainless steel mailbox system for side wall mounting for 6 dwellings. It has been designed for apartment buildings, office buildings and smaller residential complexes and enables space-saving installation to the side of the entrance or on a suitable wall surface.

Six separate letter compartments are arranged vertically in a space-saving manner and form a robust, linear unit directly at the building entrance.

The mailboxes are made of stainless steel V2A 1.4301 and are powder-coated in a RAL or DB colour of choice. The rain cover and side cladding are also made of stainless steel. Side fixing is via 60.3 mm stainless steel posts with a 240-grit brushed finish.

In this product variant the box position is on the right. The side arrangement creates a clear mounting edge and allows the mailbox system to be aligned to suit the entrance situation.

The advantages of the BASIC Plus 385XW at a glance

Massive stainless steel fixing posts

Side wall fixing is via Ø 60.3 mm posts made of stainless steel V2A 1.4301 with a 240-grit brushed finish. They provide a stable and durable connection between the mailbox system and the building wall.

Side wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The 385XW is mounted to the side of a suitable house wall. The box position of this variant is on the right; this allows the system to be specifically adapted to the existing entrance situation.

BASIC Plus in stainless steel V2A

Mailboxes, cladding and fixing elements consistently use stainless steel V2A 1.4301. The powder-coated mailboxes combine a high-quality finish with a long-lasting construction.

DIN C4 letter flap with rubber lip

Each compartment has an insertion opening of 35 × 265 mm suitable for DIN C4 upright. A noise-dampening rubber lip reduces the impact noise of the flap.

Robust solution for 6 dwellings

Six mailboxes, a slim design and consistent use of stainless steel create a long-lasting multi-occupant solution. The modular BASIC Plus construction also simplifies maintenance and spare parts replacement.

Equipment of the BASIC Plus 385XW for 6 dwellings

Mailbox system

Number of compartments 6 mailboxes
Arrangement 1 column × 6 rows
Material Stainless steel V2A 1.4301
Finish Powder-coated in a RAL/DB colour of choice
Rain cover / side cladding Stainless steel V2A 1.4301, colour-matched powder-coated
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Insertion opening 35 × 265 mm per mailbox, suitable for DIN C4 upright
Mail volume Approx. 12 litres per mailbox
Letter flaps With noise-dampening rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 12 keys in total, 2 per mailbox
Nameplates 6 changeable nameplates beneath the letter flaps

Side fixing

Box position Right
Fixing posts Ø 60.3 mm stainless steel V2A 1.4301
Surface of posts 240-grit brushed finish
Installation method Screw mounting to a suitable house wall
Fasteners Choose anchor bolts or coach screws on site to suit the wall
Standard Mailboxes conforming to DIN EN 13724

Note on side wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be clean, even and sufficiently load-bearing for the weight of the complete mailbox system. Anchor bolts or coach screws are not included and must be selected to suit the wall construction, system weight and local mounting conditions.

Note on weather protection

Mail items must be fully inserted so that the letter flaps can close. The letter flap front should preferably not be directly exposed to the prevailing weather. Under extreme weather conditions moisture may penetrate despite construction in accordance with standards.

Maintenance and BASIC Plus construction

Stainless steel V2A is low-maintenance and durable. The modular BASIC Plus construction has been designed for straightforward installation and good spare parts availability.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of boxes	with 6 letterboxes
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Removal of mail	On the front
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height in mm	820
Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	300.0
Total width in mm	400.0
Depth in mm	435.0
Weight in kg	37
Delivery condition	Delivery is made in blocks; freestanding elements / mailbox delivered in parts

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618


Montagebohrung
769,5
4x Ø14
100


404,5
909,5


435



More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618