5-unit surface-mounted mailbox system Design BASIC 385A AP - stainless steel RAL 7016 anthracite grey | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | BI-Color brushed stainless steel | RAL 7016 anthracite grey | with 5 mailboxes



Product number 385A-7016VA-5S

Product description

Slim surface-mounted mailbox system BASIC 385A for 5 units – BI-Color RAL 7016 / Stainless steel

The BASIC 385A surface-mounted mailbox system for 5 units is a robust wall solution for multi-family houses, smaller residential developments as well as office and practice buildings. The vertically arranged S-configuration reduces horizontal space requirements and uses the available wall height particularly efficiently.

The BI-Color version combines anthracite grey powder-coated mailbox bodies with brushed stainless steel V2A elements. The material contrast gives the BASIC system a high-quality, modern appearance.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable nameplate located under the mail flap.

The advantages of the BASIC 385A surface-mounted system at a glance

Canopy and side panels

A canopy and side panels unite the individual mail compartments into a closed surface-mounted system. The coordinated cladding provides a calm front and a neat finish at the façade.

DIN C4 inlet and 12 litres volume

The compartments measuring 300 × 110 × 385 mm (W × H × D) each provide approx. 12 litres of volume. The 35 × 265 mm inlet accommodates larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the mail flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear assignment of the individual compartments.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade mounting. A mounting rail simplifies installation; fixings including screws and wall plugs are part of the described configuration.

BI-Color in anthracite and stainless steel

RAL 7016 Anthracite grey fine-texture matt is combined with brushed stainless steel accents to create a striking material contrast. The system is manufactured in Germany by the Briefkasten Manufaktur.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 5 individually lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per compartment
Material BI-Color: galvanised steel in RAL 7016 with stainless steel V2A accents
Surface RAL 7016 Anthracite grey fine-texture matt / brushed stainless steel V2A
Standard DIN EN 13724

Mail and operation

Inlet opening 35 × 265 mm, suitable for DIN C4 portrait
Mail flaps With noise-damping rubber lip
Mail removal Front access
Door opening Left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the mail flap

Cladding and wall mounting

Side cladding Close-fitting design
Canopy Robust canopy matching the system
Mounting type Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; suitability for the on-site wall structure must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems, appropriate fixing solutions must be determined on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and dirt when items are fully inserted and the mail flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Surface/colour	RAL 7016 anthracite grey, Brushed
Removal of mail	On the front
Number of boxes	with 5 letterboxes
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	550.0
Width of letterbox system in mm	300.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	30
Delivery condition	Delivered fully assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618