13-unit freestanding mailbox system Design BASIC 385 ST-R - stainless steel, RAL 7016 anthracite grey | with 13 mailboxes (2x7) | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | BI-Color brushed stainless steel | RAL 7016 anthracite grey



Product number 385-7016VA-13W

Product description

Freestanding 13-unit mailbox system BASIC 385 for 13 households – wide, multi-column configuration – BI-Colour stainless steel / RAL 7016

For larger apartment buildings, residential complexes and demanding commercial properties, the freestanding BASIC 385 as a system for 13 households offers a durable and clear entrance solution. The independent stand mounting allows the mailbox system to be positioned to suit the plot and access situation.

The W configuration distributes the mailboxes in a wider, multi-column layout, creating a clear frontage for multiple users.

The mailbox bodies are made of galvanised steel in RAL 7016 Anthracite Grey fine-textured matt. Brushed stainless steel V2A letter flaps create a high-quality BI-Colour accent. A close-fitting side cladding with a rain hood unifies the individual mailboxes into a complete enclosed system.

Each mailbox has an aperture of 35 × 265 mm for DIN C4 items in portrait format. A noise-damping rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox includes two keys with key number and a changeable nameplate located beneath the letter flap.

The advantages of the BASIC 385 at a glance

Solid stainless steel stand elements

Round-tube stand elements with approx. 60 mm diameter made of brushed stainless steel V2A 1.4301 provide a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at the property entrance.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Large aperture to DIN EN 13724

The aperture of 35 × 265 mm is designed for DIN C4 items in portrait format. Even larger envelopes can be inserted without folding.

Quiet insertion and comfortable collection

A noise-damping rubber lip reduces the slamming of the letter flaps. Mail is collected from the front via doors that open from left to right.

BI-Colour in anthracite and stainless steel

Anthracite-coloured mailbox bodies and brushed stainless steel letter flaps create a clear material contrast with a high-quality appearance.

Proven BASIC quality Made in Germany

The combination of solid material selection, DIN EN 13724-compliant mail compartments and an assembly-friendly construction makes the BASIC 385 a long-lasting solution for daily use.

Equipment of the BASIC 385 mailbox system

Mailbox system

Design Wide, multi-column configuration
Number of mailboxes 13 individually usable compartments
Mailbox material Galvanised steel with stainless steel letter flaps
Finish BI-Colour: RAL 7016 Anthracite Grey fine-textured matt / brushed stainless steel V2A
Rain hood / side cladding Galvanised steel, powder-coated in RAL 7016 Anthracite Grey fine-textured matt
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Aperture 35 × 265 mm, suitable for DIN C4 portrait
Letter flaps With noise-damping rubber lip
Mail collection Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Changeable nameplate beneath the letter flap
Standard Mailboxes conforming to DIN EN 13724

Stand elements and fittings

Stand elements Round tube approx. 60 mm made of brushed stainless steel V2A 1.4301
Mounting options Selectable for screw mounting or for casting into concrete
Fixings Anchor bolts for screw mounting are not included; select separately to suit the foundation

Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on the product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres volume; depending on the variant, 300 × 220 × 385 mm with approx. 25 litres volume is also available.

Mounting by casting into concrete

For the freestanding system we recommend a sufficiently dimensioned concrete foundation. When casting in, the stainless steel stand elements must be set plumb and permanently anchored in the foundation. Foundation size and embedment depth must be matched to ground conditions, system weight and local circumstances.

Screw mounting on a foundation

For screw mounting a flat and load-bearing concrete foundation is required. Suitable anchor bolts or fixings must be selected to suit the substrate and the system load. For the BASIC-385-ST-R variants, anchor bolts are not part of the standard scope of supply.

Note on weather protection

Mail items are best protected from moisture and soiling when fully inserted and with the letter flap closed. Overhanging items can prevent the flap from closing completely. Under extreme weather conditions, moisture may enter the mailbox despite norm-compliant design.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Removal of mail	On the front
Number of boxes	with 13 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	600.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	765.0
Depth in mm	435.0
Weight in kg	72
Delivery condition	Delivery is made in sections; freestanding elements / mailbox are supplied split.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618