Freestanding XXL parcel box GOETHE with 2 letterboxes and GIRA System 106 - left-hand video intercom - airlock system - RAL colour of your choice | Left | Front mail retrieval | with 2 mailboxes | Gira System 106 Complete Video Set 2DB



Product number 215-STL-PK600-2BK-SPL-GI106KS

Product description

Freestanding XXL parcel box GOETHE with 2 mailboxes and GIRA System 106 - video intercom on the left - transfer sluice - RAL colour of your choice

Parcel delivery has changed significantly in recent years – customers now expect more flexibility and security than ever before. With the **GOETHE parcel mailbox** from Briefkasten Manufaktur, you choose an optimal combination of innovative technology and outstanding design, manufactured from high-quality stainless steel and aluminium, powder-coated in the RAL colour of your choice. Integrated is the **GIRA System 106**, whose modular design provides a particularly flexible and future-proof solution for your entrance. Three GIRA system modules are already included in the scope of delivery, so the mailbox is ready for immediate use. The matching GIRA apartment station and the required control unit for completing the system are also included. Thanks to the simple mounting system, the modules can be exchanged or expanded at any time afterwards without great effort.

The **mailboxes** (W x H 400 x 200 mm) are made of stainless steel 1.4016 (non-rusting, magnetic stainless steel), powder-coated in a RAL colour of your choice. They are equipped with an innovative push-key lock, which is keyed alike with that of the parcel box, and are supplied with ten keys. Letter insertion and removal are from the front. The insertion flaps are fitted with high-quality pivot dampers, allowing mail to be inserted particularly quietly. The mailboxes comply with **DIN/EN 13724** with an insertion size of 3.5 x 36.0 cm – sufficient for C4 envelopes in landscape format without folding. The retrieval doors open downwards so that your post cannot fall out. The dimensions of the mailboxes provide a capacity of approx. 64 litres. The innovative push-key lock is discreetly hidden inside: the key is simply inserted – without turning – and the door opens.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The generous **parcel box** (W x H 600 x 1200 mm) is also made of stainless steel 1.4016, powder-coated in a RAL colour of your choice. It offers a volume of 192 litres and allows delivery of parcels up to a size of 555 x 375 x 305 mm (W x H x D), which corresponds to DHL parcel size L. The parcel insertion flap is damped and closes particularly quietly. Thanks to the specially developed delivery sluice, your parcel is automatically transported into the secured retrieval compartment after being placed inside. The sluice is immediately ready for further deliveries and remains isolated from the retrieval compartment – so your items are always optimally protected. Any courier (e.g. DHL, DPD, TNT, GLS, Hermes) can use the parcel mailbox. Depending on placement, up to four DHL parcels of size M can even fit inside.

Briefkasten Manufaktur places the greatest importance on high-quality materials. Stainless steel ensures extremely high corrosion resistance and an elegant surface finish. Quality assurance begins with the selection of our raw material suppliers and only ends when the parcel mailbox arrives at your location in the required quality. Trust the **GOETHE parcel mailbox** – a secure, flexible and stylish solution for your letter and parcel deliveries. A product that combines traditional craftsmanship with state-of-the-art technology – Made in Germany by Briefkasten Manufaktur Lippe.

- High-quality parcel mailbox made of stainless steel and aluminium, powder-coated in the RAL colour of your choice.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Mailboxes (W x H 400 x 200 mm) made of stainless steel 1.4016 (non-rusting, magnetic stainless steel), powder-coated in a RAL colour of your choice with stainless steel laser inscription pictogram "BRIEF".
- 3 innovative push-key locks with 2 keys.
- Letter insertion and retrieval are from the front. Insertion flap with high-quality pivot dampers for very quiet insertion of mail.
- The mailbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape — large letters fit without folding.
- The retrieval door opens from top to bottom. This prevents your post from falling out.
- Parcel box (W x H 600 x 1200 mm) made of stainless steel 1.4016 (non-rusting, magnetic stainless steel), powder-coated in a RAL colour of your choice with stainless steel laser inscription pictogram "PAKET".
- Parcel compartment volume: 192 litres, Max. parcel dimension: 555 x 375 x 305 mm (W x H x D), corresponding to parcel size L.
- Parcel insertion flap with damping for quiet closing.
- Function compartment (W x H 200 x 400 mm) made of stainless steel 1.4016 (non-rusting, magnetic stainless steel), powder-coated in a RAL colour of your choice.
- Includes GIRA apartment station & control unit, System 106 voice module, call-button module & camera module installed.
- Optimal weather protection through rain runoff edges and a rain canopy made of 3 mm aluminium AlMg3 W19, powder-coated in a RAL colour of your choice.
- Side cladding made of 3 mm aluminium AlMg3 W19, powder-coated in a RAL colour of your choice.
- Rear panel made of 1 mm stainless steel 1.4301 V2A, powder-coated in a RAL colour of your choice.
- Base made of 40 x 40 x 2 mm stainless steel tube 1.4301 V2A, powder-coated in a RAL colour of your choice.
- Invisible mounting and cable routing inside the pillar. Overall height is 1.65 m.

GIRA

Camera module Gira System 106 - 5561 000

- Behind the replaceable black glass pane is a high-quality camera with high light sensitivity. With a detection angle of 100° the user is always informed about what is happening at their front door.

Call-button module Gira System 106 - 5539 000

- With 4 commissioning buttons for stepwise installation.
- 2 x call button with labelling field 5547920.
- Call-button cover 5542920.

Voice module Gira System 106 - 5565 920

- Compact voice module for communication between inside and outside.
- A high-quality microphone and a weatherproof loudspeaker ensure good intelligibility.
- Power supply via 2-wire bus. Additional connection for central locking (e.g. required from the 3rd camera module onwards).

Apartment station Gira Video AP 7 1209xx

- Video apartment station with a 17.78 cm (7") TFT colour display and convenient hands-free function for surface-mounted installation or wall mounting with a flush-mounted device box or hollow-wall box. With the optional stand (see Accessories) also suitable for placement on furniture. A 32 GB SD memory card is included for internal image storage. Full-surface glass front with touch functionality and tactile feedback.

Video control unit REG Gira 128800

- Control unit for supplying the audio and video components of the Gira door communication bus.
- Supplies the polarity-protected and short-circuit-proof 2-wire bus when using video components such as colour camera, TFT colour display.
- Up to 2 door stations with colour camera and 28 apartment stations with TFT colour display can be supplied via the video control unit.
- In total, up to 15 colour cameras can be controlled by the video control unit (5 video door stations and 10 TKS camera gateways), of which two door stations with colour cameras can be supplied with power by the video control unit. The other colour cameras must each be operated with their own power supply for door communication.
- Self-resetting electronic short-circuit and overload detection of the operating voltages and the bus connection.
- Buttons for system and door-opener programming.
- LED status indicators for operation, overload, system programming and door-opener programming.
- AC 12 V output for powering a conventional door opener.
- Relay output for switching a door opener with its own power supply.
- Door opener switching time continuously adjustable from 1 to 10 s.

Important information

Water protection

To achieve optimal water protection for your mail, the mailbox or mailbox system should, if possible, be located under a canopy.

Postal items are only protected from water if they are placed completely inside the compartment and the insertion flap is closed. Postal items not fully inserted allow the ingress of moisture and dirt into the mailbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not grounds for complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Connection technology	2-wire
Number of bell push buttons	2 buttons
Functions	Newspaper compartment, Camera, Intercom, Parcel compartment
Functional box prepared for manufacturer	GIRA
Number of boxes	with 1 parcel box, with 2 letterboxes
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Mounting type	Free-standing
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Boxes by volume	Jumbo > 30 litres

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 200,0 | PK 1200,0
Width of single box in mm	BK 400,0 | PK 600,0
Capacity in litres	BK 64.0 | PK 192.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	360.0
Overall height in mm	1650.0
Total width in mm	608.0
Depth in mm	400.0 + 25.0 Rain canopy
Weight in kg	69
Delivery condition	Delivered assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618