4-unit surface-mounted mailbox system Design BASIC 385A-7016 AP - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | with 4 mailboxes (1x4) | 300x110x385 mm (WxHxD) - ?? Normal 12 litres



Product number 385A-7016-4S

Product description

Narrow surface-mounted mailbox system BASIC 385A for 4 households – RAL 7016 Anthracite grey

The BASIC 385A surface-mounted mailbox system for 4 households is a robust wall solution for multi-family houses, smaller residential complexes as well as office and medical practice buildings. The vertically organised S configuration reduces horizontal space requirements and makes particularly efficient use of the available wall height.

The mailboxes are made of galvanised steel and are powder-coated in RAL 7016 Anthracite grey with a fine-textured matt finish. The close-fitting cladding with rain hood combines the individual compartments into a single, modern surface-mounted unit.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm letter slot is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable nameplate beneath the letter flap.

The advantages of the BASIC 385A surface-mounted unit at a glance

Rain hood and side cladding

The rain hood and side panels unite the individual mail compartments into a single surface-mounted unit. The coordinated cladding provides a calm front and a neat finish on the façade.

DIN C4 letter slot and 12 litre capacity

The 300 × 110 × 385 mm (W × H × D) compartments each offer approx. 12 litres of volume. The 35 × 265 mm aperture also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet posting and secure allocation

The rubber lip damps the letter flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear assignment of the individual compartments.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade installation. A mounting rail simplifies installation; fixing material with screws and wall plugs is included in the described configuration.

Robust finish in RAL 7016

The anthracite grey fine-textured surface gives the unit a modern appearance and protects the galvanised steel for daily use on the building. The unit is manufactured in Germany by Briefkasten Manufaktur Lippe.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 4 individually lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per compartment
Material Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-texture matt
Finish RAL 7016 Anthracite grey fine-texture matt
Standard DIN EN 13724

Mail and operation

Letter slot 35 × 265 mm, suitable for DIN C4 portrait
Letter flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the letter flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain hood Solid design matching the unit
Mounting type Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; suitability for on-site wall construction must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be flat and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems (ETICS), appropriate fixing solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the letter flap is closed. Overhanging letters or magazines can prevent the flap from closing completely.

Product properties

Material	Steel, galvanised
Series	BASIC
Boxes by volume	Normal > 10 litres
Number of boxes	with 4 letterboxes
Name labelling	Nameplate
Surface/colour	RAL 7016 anthracite grey
Removal of mail	On the front
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	440.0
Width of letterbox system in mm	300.0
Total width in mm	308.0
Depth in mm	435.0
Weight in kg	25
Delivery condition	Delivered fully assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618