6-piece stainless steel flush-mounted letterbox system BASIC Plus 382XU UP with bell box on the side | Left | 100mm depth | with 6 letterboxes | Stainless steel, brushed



Product number 382XU-VA-6-SPS-100-L

Product description

6-unit stainless steel recessed letterbox system BASIC Plus 382XU UP with side bell box - brushed stainless steel

Modern recessed letterbox for 6 units - made in Germany by Briefkasten Manufaktur.

The letterbox is made entirely of stainless steel V2A, brushed. The very high-quality workmanship and the well thought-out concept make this recessed letterbox one of our top sellers. A rain-drip edge for optimal water protection, a continuous rubber lip for quiet posting, the sturdy replaceable nameplate, a practical post retention bracket and the very robust lock characterise this recessed letterbox. The recessed frame made of stainless steel V2A is fitted with a foam rubber seal and guarantees very high durability.

The letterbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy spare-part assembly and straightforward self-installation. Spare parts are directly available for all BASIC Plus systems.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- **6-way recessed letterbox system completely made of stainless steel V2A 1.4301, 240-grit brushed**
- The system is manufactured by Briefkasten Manufaktur. German quality manufacturing "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Insertion opening (3.5 cm x 32.5 cm) for C4 landscape — large letters fit in here without being folded.
- Insertion flap with noise-damping rubber seal for very quiet posting.
- The door opens from left to right.
- Incl. 2 keys with key number, replaceable nameplate (type 2) under the insertion flap and post retention bracket.
- Large capacity thanks to optional letterbox depth +50 mm = approx. 17 l. Suitable for businesses and households with very high mail volumes.
- **Bell box made of stainless steel V2A, 240-grit brushed**
- Speaker cut-out with universal adapter. (Intercom system/flush-mounted speaker not included). Optionally also available without speaker cut-out.
- The universal adapter is suitable for all common flush-mounted speakers (Siedle, Ritto, TCS, Busch-Jaeger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit, etc.).
- Round stainless-steel doorbell button type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP 54 (press-force limitation).
- Anti-vandalism – The nameplate is impact-resistant and shatterproof; the plastic is flame-retardant.
- Plaster covering frame made of stainless-steel angle profile 25 x 58 mm, 240-grit brushed.

Important information

Camera or intercom station preparation

The intercom systems must be connected by an electrician. For planning, installation and set-up, contact the electrician of your choice.

Water protection

Post is only protected from moisture and dirt when fully inserted and the flap is closed. Under certain extreme weather conditions water can still enter (according to DIN EN 13724 up to 1 cm³). This is not grounds for a complaint.

Product properties

Series	BASIC
Number of bell push buttons	6 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Number of boxes	with 6 letterboxes
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Mounting type	Flush-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	710.0
Width of letterbox system in mm	1285.0
Total width in mm	1285.0
Depth in mm	100.0 | 150.0
Weight in kg	40
Delivery condition	Delivered fully assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618