Designer Surface-Mounted Mailbox GOETHE AP - RAL Colour of Your Choice - Doorbell-Intercom Unit - Customisable | without newspaper compartment | 100mm depth | Individualised preparation



Product number 215-AP-1-SP-IND

Product description

Design surface-mounted mailbox GOETHE® AP - RAL of your choice - Bell-intercom box

High-quality surface-mounted mailbox with bell-intercom box in a flush-front design. The modern GOETHE® mailbox is ideal for an upscale entrance area. The linear shape without a visible lock gives this mailbox an especially elegant appearance. The individually configurable bell-intercom box is available with a flush-mounted doorbell button, a nameplate or inscription in combination with your desired intercom station preparation (built-in loudspeaker not included) and/or camera preparation.

The dimensions of the single box provide a capacity of approx. 16 litres; the large letter slot ensures that DIN C4 envelopes and magazines — or post after several days' absence — remain uncreased. The innovative push-key lock is concealed inside the mailbox. The key is simply inserted into the existing opening (no turning required) and the door opens. Due to the arrangement of the lock, the collection door is designed to prevent your mail from falling out towards you. The internal mail is optimally protected from the elements by the water drainage edge. The letter flap is fitted with high-quality dampers, ensuring quiet closing and preventing annoying rattling caused by weather conditions.

The surface-mounted mailbox systems of the GOETHE® collection are characterised by the consistent use of stainless steel and aluminium. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, easy spare-part installation and straightforward self-installation. Spare parts for all GOETHE® systems are available directly in our shop.

Thanks to the design, self-installation is uncomplicated.

Protected utility model according to DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality surface-mounted mailbox made from stainless steel and aluminium.
- Quality manufacture - Made in Germany by Briefkasten Manufaktur Lippe.
- Mailbox (BH 400x400 mm) made from stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice.
- Innovative push-key lock with 2 keys.
- Letters are inserted and retrieved from the front. Letter flap with high-quality dampers for very quiet posting of mail.
- The mailbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape; large letters fit without being folded.
- Collection door opens from top to bottom, preventing the mail from falling out towards you.
- Optional house number labelling approx. 70–80 mm high.
- Functional module (BH 400x200 mm) made from stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice.
- Optional interchangeable nameplate made from stainless steel with laser inscription, plexiglass nameplate or directly illuminated inscription.
- 8–12 V DC short-travel doorbell push button with LED ring illumination (blue, white, red or green). The illumination of the doorbell push buttons cannot be powered via the control unit; it must be connected to an additional 8–12 V DC power supply.
- Optionally available as an 8–12 V DC short-travel illuminated push button with pictogram.
- Preparation for intercom system possible (built-in loudspeaker not included).
- Optional with universal adapter for all common flush-mount loudspeakers.
- Optional preparation for a camera (camera not included).
- Optimal weather protection through rain drainage edges and a rain canopy made from 3 mm aluminium AlMg3 W19, powder-coated in RAL of your choice.
- Side panel made from 3 mm aluminium AlMg3 W19, powder-coated in RAL of your choice.
- Including mounting rail for wall installation.

Important information

Camera or intercom preparation

We strongly recommend that electrical installation is always carried out by a qualified electrician.

We offer preparation for intercom stations from various manufacturers for our mailboxes. The preparation does not include end devices; it consists of providing the mounting brackets, drillings and cut-outs so that you can mount your device without difficulty.

Water protection

To achieve optimal protection of your post from water, the mailbox or mailbox system should, where possible, be located beneath a porch or canopy.

Mail is only protected from water if it is placed completely inside the box and the letter flap is closed. Partially inserted mail allows moisture and dirt to enter the mailbox. This unit is protected against ingress of water in accordance with DIN EN 13724. Water ingress is not grounds for a complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Number of bell push buttons	1 button
Functions	Light button, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey, Comelit, Schneider Intercom / COMMEND
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	400,0
Width of single box in mm	400,0
Capacity in litres	16
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Height of letterbox in mm	600,0
Width of letterbox system in mm	400,0
Total width in mm	408,0
Depth in mm	100.0 + 25.0 Rain roof
Weight in kg	20
Delivery condition	Delivery is assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618