Stainless steel mailbox Designer - RAL colour of your choice - GIRA System 106 - prepared for 2 modules | RAL 7016 Anthracite grey, fine texture, matt | Plastered or flush-mounted variant 150mm

Product number 515-R-V-GI106-UP150-7016



Product description

Stainless steel designer mailbox - RAL colour of choice - GIRA System 106 - prepared for 2 modules

High-quality mailbox manufactured by Briefkasten Manufaktur. The GIRA System 106 can be seamlessly integrated in a flush-mounted design. The preparation is intended for 2 GIRA 106 system modules. The modules can be fitted flush-mounted using the simple retention system (surface-mounted housing 5502910 required!).

This is a real eye-catcher among mailboxes. Clear lines and an unadorned design characterise the designer mailbox with GIRA System 106. Our products offer high value, reliable functionality and their own identity. Made by Briefkasten Manufaktur.

- Designer recessed stainless steel mailbox made from 2 mm stainless steel V2A, powder-coated to RAL colour with a fine-structure matt finish. Also available as a surface-mounted variant.
- Front mail retrieval door 240 mm x 300 mm, opens from top to bottom. Incl. 2 keys with key number.
- Front mail entry, entry dimensions: W 24 cm x H 3.5 cm, fits C4 upright.
- **Now with integrated damping elements; these allow the entry flap to close slowly and quietly.**
- Dimensions of recessed or surface-mounted box: H 710 mm x W 310 x D 100 | 150 mm. WARNING: even with the surface-mounted box the front panel overhangs by 2 cm all around.
- Recessed box made of steel, galvanised. Surface-mounted box made of stainless steel V2A, ground on all sides with no visible fixings.
- Recessed box with pre-punched cable entries on all sides.
- **WITHOUT GIRA system components!**

Important information

Camera or intercom preparation

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Intercom systems must be connected by an electrician. Please contact the electrician you trust for planning, installation and commissioning.

Water protection

To ensure optimal water protection for your mail, the mailbox or mailbox system should, where possible, be located under a canopy.

Mail is only protected from water when it is placed completely inside the box and the entry flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the mailbox. Therefore it is necessary to plan mailboxes of sufficient size for the expected demand. Under certain extreme weather conditions water may still enter (according to DIN EN 13724 up to 1 cm³). This is not a reason for a complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	DESIGNER
Functions	Newspaper compartment, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	GIRA
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	710.0 | 750.0
Width of single box in mm	310.0 | 350.0
Capacity in litres	16.0 | 24.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	240.0
Depth in mm	100.0 | 150.0
Weight in kg	28
Delivery condition	Delivered assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618


Eingebaute Dämpfungselemente lassen die
Einwurfklappe langsam und leise schließen






Alle Angaben unter Vorbehalt von technischen Änderungen in mm. Maßtoleranzen möglich +/- 2mm.
350
310
Hinterbau,
Frontplatte umlaufend 20mm
überstehend
100 | 150
2
240x55(35)
750 710
240x300



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618