Designer drop-through letterbox GOETHE MDW - RAL colour of your choice - COMELIT Ultra - Video set | 300-390mm depth



Product number 215-MDW-1-SP-KSCSWIFIU-390

Product description

Design through-wall letterbox GOETHE MDW - RAL colour of choice - COMELIT Ultra - video set

The modern GOETHE through-wall letterbox with doorbell-intercom unit is ideal for sophisticated entrance areas. Its clean, linear design gives the letterbox an especially elegant appearance. Thanks to the variable shaft length between 300 mm and 390 mm or 390 mm and 560 mm, this letterbox can be used in almost any masonry. Discover the fully integrated Comelit Ultra, a leading solution in the world of video intercom systems. This state-of-the-art system offers advanced features, including facial recognition, voice control and convenient operation via a smartphone app.

The dimensions of the individual compartments provide a capacity of approx. 24–44 litres; the large aperture ensures that DIN C4 envelopes and magazines — and mail after several days' absence — are not creased. The internal mail is optimally protected from the elements by the water-drainage lip. The insertion flap is fitted with high-quality axle dampers, ensuring quiet closing and preventing annoying rattling caused by the weather.

The mailbox systems in the GOETHE collection are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy spare-part assembly and straightforward self-installation. Spare parts for all GOETHE systems are available directly in our shop.

Thanks to the design, self-installation is straightforward.

Protected utility model according to DPMA file reference DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality through-wall letterbox made entirely of stainless steel.
- Shaft made of stainless steel 1.4016 (non-corroding magnetic stainless steel), plain finish.
- Body made of stainless steel 1.4016 (non-corroding magnetic stainless steel), powder-coated in RAL colour of choice.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape; large letters fit without bending.
- Letter slot & collection door made of stainless steel V2A 1.4301, powder-coated in RAL colour of choice.
- Letters are inserted and retrieved from the front. Insertion flap with high-quality axle dampers for very quiet letter insertion.
- Collection door opens from top to bottom, so the mail cannot fall out towards you.
- Function box (W x H 400 x 200 mm) made of stainless steel 1.4016 (non-corroding magnetic stainless steel), powder-coated in RAL colour of choice.
- 8–12 V DC short-stroke doorbell push-button with white LED ring illumination.
- Optional name lettering approx. 10–20 mm high.
- Optional house number lettering approx. 60–80 mm high.
- Plaster cover frame made of stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.
- Variable shaft length 300–390 mm or 390–560 mm. External dimensions of the letter insertion shaft W 380 mm x H 180 mm.
- External dimensions front W 450 mm x H 450 mm; rear W 450 mm x H 250 mm.

Important information:

Provision for camera or intercom

Intercom systems must be connected by an electrician. For planning, installation and commissioning, please contact the electrician you trust.

Water protection

To achieve optimal water protection for your mail, the letterbox or letterbox system should, where possible, be located under a canopy.

Mail is only protected from water if it is placed completely inside the box and the insertion flap is closed. Partially inserted mail allows moisture and dirt to enter the letterbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not grounds for complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Connection technology	2-wire, LAN
Number of bell push buttons	1 button
Functions	Camera, Intercom
Functional box prepared for manufacturer	Comelit
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Name labelling	Laser-engraved
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Wall throw-through
Removal of mail	On the back

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	200.0
Width of single box in mm	400.0
Capacity in litres	24.0 - 32.0 | 32.0 - 44.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	360.0
Overall height in mm	Recommended 1400.0 - 1600.0
Total width in mm	450.0
Depth in mm	BK 300,0 - 390,0 | BK 390,0 - 560,0 | FK 100,0
Weight in kg	21
Delivery condition	Delivered partially assembled.


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images











Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618