3-unit stainless steel mailbox system Design BASIC Plus 385XW for side wall mounting - RAL colour of your choice | Left | with 3 mailboxes (1x3)



Product number 385XW-3S

Product description

Side-mounted BASIC Plus 385XW mailbox system for 3 households – box position left

The BASIC Plus 385XW is a high-quality stainless steel mailbox system for side wall mounting for 3 households. It has been developed for small multi-family houses, medical practices and buildings with three units and enables space-saving installation to the side of the front door or on a suitable wall surface.

Three mailboxes arranged one above the other use the side wall area efficiently and create a clear assignment for each user.

The mailboxes are made of stainless steel V2A 1.4301 and are powder-coated in a RAL or DB colour of your choice. The rain hood and side cladding are also made of stainless steel. The side mounting is carried out using Ø 60.3 mm stainless steel posts with a 240-grit finish.

In this product variant the box position is on the left. The lateral arrangement creates a defined mounting edge and allows the mailbox system to be aligned to the building entrance according to the site conditions.

The advantages of the BASIC Plus 385XW at a glance

Solid stainless steel mounting posts

The side wall attachment is via Ø 60.3 mm posts made of stainless steel V2A 1.4301 with a 240-grit finish. They provide a stable and durable connection between the mailbox system and the building wall.

Side wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The 385XW is mounted to the side of a suitable house wall. The box position of this variant is left; this allows the system to be specifically adapted to the existing entrance situation.

BASIC Plus in stainless steel V2A

Mailboxes, cladding and the fixing elements consistently use stainless steel V2A 1.4301. The powder-coated mailboxes combine a high-quality surface with a durable construction.

DIN C4 inlet with rubber lip

Each compartment has a 35 × 265 mm inlet suitable for DIN C4 portrait. A noise-dampening rubber lip reduces the impact noise of the inlet flap.

Robust solution for 3 households

Three households receive a clear and space-saving mailbox solution with a robust stainless steel substructure. The modular BASIC Plus design also simplifies maintenance and the fitting of replacement parts.

Equipment of the BASIC Plus 385XW for 3 households

Mailbox system

Number of mailboxes 3 mailboxes
Configuration 1 column × 3 rows
Material Stainless steel V2A 1.4301
Finish Powder-coated in a RAL or DB colour of your choice
Rain hood / side cladding Stainless steel V2A 1.4301, powder-coated to match
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Inlet 35 × 265 mm per mailbox, suitable for DIN C4 portrait
Mail volume Approx. 12 litres per mailbox
Inlet flaps With noise-dampening rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 6 keys in total, 2 per mailbox
Nameplates 3 changeable nameplates beneath the inlet flaps

Side mounting

Box position Left
Mounting posts Ø 60.3 mm stainless steel V2A 1.4301
Post finish 240-grit brushed finish
Mounting type Screw mounting to a suitable house wall
Fixings Select anchor bolts or coach screws on site to suit the wall construction
Standard Mailboxes conform to DIN EN 13724

Note on side wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be clean, level and sufficiently load-bearing for the weight of the complete mailbox system. Anchor bolts or coach screws are not included and must be selected to suit the wall construction, system weight and local mounting conditions.

Note on weather protection

Mail items must be fully inserted so that the inlet flaps can close. The inlet front should, where possible, not be directly exposed to the prevailing weather. Under extreme weather conditions, moisture can penetrate despite standards-compliant construction.

Care and BASIC Plus construction

Stainless steel V2A is low-maintenance and durable. The modular BASIC Plus construction has been designed for straightforward installation and good spare-parts availability.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Removal of mail	On the front
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height in mm	490
Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	330.0
Width of letterbox system in mm	300.0
Total width in mm	400.0
Depth in mm	435.0
Weight in kg	25
Delivery condition	Delivery is made in blocks; stand elements / mailbox are supplied separately.


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618