6-unit stainless steel surface-mounted mailbox system Design BASIC Plus 385 XA 220 - RAL colour of your choice | ? Colour of your choice | 300x220x385 mm (WxHxD) - ???? Large 25 litres | with 6 letterboxes (2x3)



Product number 385XA220-6S

Product description

Slim surface-mounted mailbox system BASIC Plus 385XA 220 for 6 households – 25 litres per compartment – RAL colour of your choice

The BASIC Plus 385XA surface-mounted mailbox system for 6 households is a robust wall solution for multi-family homes, smaller residential complexes as well as office and medical practice properties. The vertically organised S configuration reduces the horizontal space requirement and makes particularly efficient use of the available wall height.

The BASIC Plus mailbox system is made entirely of V2A stainless steel and is powder-coated in the selected RAL colour. The modular construction is designed for durability, easy installation and good spare-part availability.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approximately 25 litres of volume. The 35 × 265 mm insertion opening is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two numbered keys and a changeable nameplate beneath the insertion flap.

The advantages of the BASIC Plus 385XA 220 surface-mounted system at a glance

Canopy and side panels

The canopy and side panels combine the individual mailboxes into a single surface-mounted unit. The coordinated cladding provides a uniform front and a neat finish against the façade.

25 litres mail volume per compartment

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The 300 × 220 × 385 mm (W × H × D) compartments each provide approx. 25 litres of volume. The 35 × 265 mm insertion opening also accepts larger DIN C4 items in portrait orientation.

Quiet insertion and secure assignment

The rubber lip damps the insertion flap. Robust locks, two keys with key number and protected changeable nameplates ensure clear assignment of the individual compartments.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail simplifies installation; fixings including screws and wall plugs are part of the described configuration.

BASIC Plus in RAL colour of your choice

V2A stainless steel forms the robust basis; the powder coating can be applied in the desired RAL colour to match the façade, front door and window profiles. BASIC Plus also stands for consistent V2A use, modular construction and directly available spare parts.

Equipment of the BASIC Plus 385XA 220 mailbox system

Mailbox system

Number of mailboxes 6 separately lockable compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per mailbox
Material V2A stainless steel, powder-coated in RAL colour of your choice
Surface Powder-coated in RAL colour of your choice
Standard DIN EN 13724

Mail and operation

Insertion opening 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Changeable nameplate beneath the insertion flap

Cladding and wall mounting

Side cladding Close-fitting design
Canopy Robust canopy matching the unit
Installation type Surface-mounted wall installation
Installation aid Mounting rail
BASIC Plus Modular construction with directly available spare parts
Fixings Screws and wall plugs included; suitability for the on-site wall construction should be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall installation

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall structure; for other substrates or external thermal insulation composite systems (ETICS), appropriate fixing solutions must be determined on site.

Note on weather protection

Mail is best protected against moisture and dirt only when items are fully inserted and the insertion flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

BASIC Plus construction

The BASIC Plus series consistently relies on V2A stainless steel and a modular, installation-friendly construction. Spare parts are directly available for BASIC Plus systems.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of boxes	with 6 letterboxes
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	600.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	36
Delivery condition	Delivered partially assembled.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618