Designer Surface-Mounted Mailbox GOETHE AP with Newspaper Compartment - RAL Colour of Your Choice - Doorbell-Intercom Enclosure - CUSTOMISABLE | with newspaper compartment | Individualised preparation | 200mm depth



Product number 215-AP-1-SP-ZF-IND-200

Product description

Design surface-mounted letterbox GOETHE® AP with newspaper compartment - RAL of your choice - Doorbell / intercom unit

High-quality surface-mounted letterbox with newspaper compartment and doorbell / intercom unit in a flush-front design. The modern GOETHE® letterbox is ideal for demanding entrance areas. The linear shape without a visible lock gives this letterbox an especially elegant appearance. The individually configurable doorbell / intercom unit is available with a flush-mounted doorbell push button, a nameplate or inscription in combination with your desired intercom preparation (built-in loudspeaker not included) and/or camera preparation.

The dimensions of the single box provide a capacity of approx. 16 litres; the large aperture ensures that DIN C4 envelopes and magazines — or post accumulated during several days' absence — are not creased. The innovative push-key lock is hidden invisibly inside the letterbox. The key is simply inserted into the existing opening (no turning required) and the door opens. With the lock positioned as it is, the design prevents the removal door from allowing your post to fall out. The internal mail is optimally protected from the weather by the water drainage edge. The flap is fitted with high-quality hinge dampers, ensuring very quiet closing and preventing annoying rattling from weather influences.

The surface-mounted letterbox systems of the GOETHE® collection are characterised by the consistent use of stainless steel and aluminium. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy spare-part assembly and straightforward self-installation. Spare parts for all GOETHE® systems are available directly in our shop.

Thanks to the design, self-installation is uncomplicated.

Protected utility model according to DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality surface-mounted letterbox made of stainless steel and aluminium.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Letterbox (BH 400x400mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice.
- Innovative push-key lock with 2 keys.
- Mail insertion and removal are from the front. Insertion flap with high-quality hinge dampers for very quiet mail insertion.
- The letterbox complies with DIN/EN 13724. Aperture size (3.5 cm x 36.0 cm) for C4 landscape; large letters fit in without folding.
- Removal door opens from top to bottom. This prevents your post from falling out.
- Optional house number inscription approx. 70–80 mm high.
- Newspaper compartment (BH 400x200mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice with stainless steel laser engraving "NEWSPAPER" (font ARIAL; if name/house number, then matching your chosen font).
- Newspaper compartment opens from bottom to top.
- Function compartment (BH 400x200mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice.
- Optionally exchangeable nameplate in stainless steel with laser engraving, plexiglass nameplate or direct illuminated inscription.
- 8–12 V DC short-stroke doorbell push button with LED ring illumination (blue, white, red or green). The illumination of the doorbell push buttons cannot be powered via the control unit. They must be connected to an additional 8–12 V DC power supply.
- Optionally available as an 8–12 V DC short-stroke illuminated push button with pictogram.
- Preparation for intercom system possible (built-in loudspeaker not included).
- Optionally with universal adapter for all common built-in loudspeakers.
- Optional preparation for a camera (camera not included).
- Optimal protection from rain thanks to drainage edges and a rain canopy made of 3 mm aluminium AlMg3 W19, powder-coated in RAL of your choice.
- Side cladding made of 3 mm aluminium AlMg3 W19, powder-coated in RAL of your choice.
- Includes mounting rail for wall installation.

Important information

Camera or intercom preparation

We always recommend that electrical installation be carried out by a qualified electrician.

We offer preparations for intercom stations from various manufacturers for our letterboxes. The preparation does not include end devices; it consists of the provision of mounting brackets, drillings and cut-outs so that you can mount your end device without difficulty.

Water protection

To achieve optimal protection of your mail from water, the letterbox or letterbox system should, where possible, be located under a canopy.

Mail is only protected from water if it is placed completely inside the box and the insertion flap is closed. Mail that is not fully inserted can allow moisture and dirt to enter the letterbox. This system is protected against water ingress in accordance with DIN EN 13724. Ingress of water does not constitute grounds for a complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Number of bell push buttons	1 button
Functions	Newspaper compartment, Light button, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey, Comelit, Schneider Intercom / COMMEND
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Jumbo > 30 litres
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	BK 400.0 | ZF 200.0
Width of single box in mm	400,0
Capacity in litres	BK 16.0 | ZF 8.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Height of letterbox in mm	800,0
Width of letterbox system in mm	400,0
Total width in mm	408,0
Depth in mm	200.0 + 25.0 Rain roof
Weight in kg	24
Delivery condition	Delivery is assembled


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618