4-unit stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with doorbell box - stainless steel V2A | 150mm depth | with 4 mailboxes (2x2) | Top | Stainless steel, brushed



Product number 382XA-VA-4-SP-150-O

Product description

4-unit stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - stainless steel V2A

High-quality surface-mounted mailbox for 4 households made in Germany by Briefkasten Manufaktur. The mailbox is entirely made of stainless steel V2A, brushed. The very high-quality workmanship and the well thought-out concept make this mailbox one of our top sellers. A drip edge for optimal protection against water, a continuous rubber lip for quiet posting, an interchangeable nameplate, a practical mail retention bar and the robust lock characterise this surface-mounted mailbox.

The mailbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, simple spare part assembly and straightforward self-assembly. Spare parts for all BASIC Plus systems are available directly.

Thanks to the design, self-assembly is straightforward. The mailbox system is prepared for uncomplicated complete installation; there is no need for complex wall mounting of individual boxes. 4-unit surface-mounted mailbox made of weather-resistant stainless steel V2A 1.4301, 240-grit brushed.

Benefits at a glance

Stainless steel side cladding with rain canopy

Side cladding and rain canopy are made of stainless steel V2A 1.4301, 240-grit brushed and complement the system as a structurally coordinated weather protection.

Generous letter slot

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The slot measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox configuration complies with DIN EN 13724.

Quiet posting and convenient collection

The integrated flap damper with rubber seal reduces impact noise during posting. The mail retention bar holds items back during collection.

Integrated bell and speech area

Bell box made of stainless steel V2A 1.4301, 240-grit brushed. The stainless steel bell push Type 4 is used. Optionally prepared with a speech grille for the installation of common intercom systems or flush-fit loudspeakers. (Intercom system/flush-fit loudspeakers not included). An option with the Comelit Ultra video complete set is also available.

Quality manufacturing and considered construction

The system is manufactured at Briefkasten Manufaktur in Germany. The construction is designed for straightforward self-assembly.

Equipment and product details

Mailbox system

Number of mailboxes 4 separately usable mail compartments
Arrangement 2 × 2
Depth 150 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox finish 240-grit brushed
Bell/speech section Bell box made of stainless steel V2A 1.4301, 240-grit brushed

Mail and operation

Slot 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Deposit flap Noise-damped by rubber seal
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the deposit flap
Mail retention bar Integrated for each mailbox

Mounting and equipment

Mounting type Surface-mounted
Drip edge Integrated into the construction
Rain canopy Made of stainless steel V2A 1.4301, 240-grit brushed
Side cladding Made of stainless steel V2A 1.4301, 240-grit brushed
Mounting materials For wall mounting incl. mounting rail and fastening materials (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The contents are best protected against moisture and soiling when fully inserted and with the deposit flap closed. Protruding items may prevent the flap from closing completely.

Note on wall mounting

Before mounting, the load-bearing capacity and condition of the wall must be checked. Fixings must be matched to the weight of the system and the existing wall construction.

Product properties

Series	BASIC
Number of bell push buttons	4 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Number of boxes	with 4 letterboxes
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	760.0
Width of letterbox system in mm	710.0
Total width in mm	710.0
Depth in mm	100.0 | 150.0
Weight in kg	32

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618