Designer through-the-wall letterbox GOETHE MDW - RAL colour of your choice - doorbell and intercom box - CUSTOM | 300-390mm depth



Product number 215-MDW-1-SP-IND-390

Product description

Design through-wall mailbox GOETHE MDW - RAL colour of your choice - Doorbell & intercom box - CUSTOM

The modern through-wall mailbox GOETHE with doorbell and intercom box is ideal for a sophisticated entrance area. Its clean-lined design gives the mailbox an especially elegant appearance. With a variable shaft length between 300 mm and 390 mm or 390 mm and 560 mm, this mailbox can be installed in almost any masonry. The individually configurable doorbell and intercom box is available with a flush-mounted bell push-button, a nameplate or labelling in combination with your desired intercom preparation (built-in speaker not included) and/or camera preparation.

The dimensions of the individual compartments provide a capacity of approx. 24–44 litres; the large aperture ensures that even DIN C4 envelopes and magazines, or post after several days' absence, remain uncreased. The drip edge protects the internal mail optimally from weather conditions. The insertion flap is fitted with high-quality axle dampers, guaranteeing quiet closing and preventing irritating rattling caused by the weather.

The mailbox systems in the GOETHE collection are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, simple spare-part assembly and uncomplicated self-installation. Spare parts for all GOETHE systems are available directly in our shop.

Thanks to the design, self-installation is straightforward.

Protected utility model according to DPMA file reference DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality drop-through mailbox made entirely of stainless steel.
- Shaft made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), untreated.
- Body made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in a RAL colour of your choice.
- Quality manufacture - Made in Germany by Briefkasten Manufaktur Lippe.
- The mailbox complies with DIN/EN 13724. Aperture size (3.5 cm x 36.0 cm) for C4 landscape; large envelopes fit without folding.
- Letter slot & collection door made of stainless steel V2A 1.4301, powder-coated in a RAL colour of your choice.
- Letters are inserted and removed from the front. Insertion flap with high-quality axle dampers for very quiet posting of mail.
- Collection door opens from top to bottom, preventing mail from falling out towards you.
- Optionally with house number labelling approx. 60–80 mm high.
- Function box (W x H 400 x 200 mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in a RAL colour of your choice.
- 8–12 V DC short-stroke doorbell push-button with LED ring illumination (blue, white, red or green). The illumination of the push-buttons cannot be powered via the control unit. It must be connected to an additional 8–12 V DC power supply.
- Optional exchangeable nameplate in stainless steel with laser engraving, plexiglass nameplate or illuminated direct nameplate inscription.
- Optionally an 8–12 V DC short-stroke illuminated push-button with pictogram is available.
- Preparation for intercom system possible (built-in speaker not included). Optional with universal adapter for all common built-in speakers.
- Optional preparation for a camera (camera not included).
- Plaster cover frame made from stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.
- Variable shaft length 300–390 mm or 390–560 mm. External dimensions of mail-through shaft W 380 mm x H 180 mm.
- External dimensions front W 450 mm x H 450 mm; rear W 450 mm x H 250 mm.

Important information:

Camera or intercom preparation

Intercom systems must be connected by a qualified electrician. For planning, installation and commissioning, please contact the electrician of your choice.

Water protection

To achieve optimal protection of your mail from water, the mailbox or mailbox system should, where possible, be located under a canopy.

Mail is only protected from water if it is placed completely inside the box and the insertion flap is closed. Post that is not fully inserted allows moisture and dirt to enter the mailbox. This system is protected against water ingress in accordance with DIN EN 13724. Water ingress is not a basis for a complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Number of bell push buttons	1 button
Functions	Light button, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey, Comelit, Schneider Intercom / COMMEND, ESENTA
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving, House number as laser cut, illuminated
Name labelling	Laser-engraved , Illuminated laser-cut engraving
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Wall throw-through
Removal of mail	On the back

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	200.0
Width of single box in mm	400.0
Capacity in litres	24.0 - 32.0 | 32.0 - 44.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	360.0
Overall height in mm	recommended 1400.0 - 1600.0
Total width in mm	450.0
Depth in mm	BK 300.0 - 390.0 | BK 390.0 - 560.0 | FK 100.0
Weight in kg	21
Delivery condition	Delivered partly assembled


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing






Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618