6-unit stainless steel freestanding mailbox Design BASIC Plus 385 X ST-R with bell box - RAL colour of your choice | Left | ? Colour of your choice | with 6 letterboxes



Product number 385XR-6-SP-L

Product description

Freestanding mailbox system BASIC Plus 385X ST-R with bell/intercom module for 6 households – panel on the left

The freestanding BASIC Plus 385X ST-R mailbox system for 6 households combines high-quality mailboxes with an integrated bell/intercom module. This creates a compact entrance solution for apartment buildings, residential complexes as well as office and commercial properties, bringing mailbox, doorbell buttons and the provision for a built-in speaker together in a single unit. In this configuration, the bell/intercom module is positioned to the left of the mailboxes.

The mailboxes are made of stainless steel V2A and are powder-coated in the selected RAL colour. The weather-resistant stand posts in brushed stainless steel V2A 1.4301 provide a high-quality contrast and form the stable freestanding substructure.

Each compartment offers a capacity of approx. 12 litres. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait orientation. A noise-dampening rubber lip on the mail flap, front mail retrieval and robust doors that open from left to right ensure practical everyday use.

The advantages of the BASIC Plus 385X ST-R system at a glance

Mailbox and bell combined in one unit

6 separately usable mail compartments are combined with an integrated bell/intercom module. This keeps the entrance area functional and visually unified.

Massive stainless steel stand posts

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Ø 60 mm robust stand posts in brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The solid construction is designed for long-term use at the property entrance.

DIN C4 mail slot and 12-litre capacity

The 300 × 110 × 385 mm (W × H × D) compartments each offer approx. 12 litres of capacity. The 35 × 265 mm mail slot also accepts larger DIN C4 letter items in portrait orientation.

Prepared for built-in speaker

The speaker opening is fitted with a universal adapter.

BASIC Plus – colour of your choice

The powder-coated V2A mailboxes can be chosen in a RAL colour to suit the architecture. Brushed stainless steel stand posts, modular construction and German manufacture complete the durable system.

Equipment of the BASIC Plus 385X ST-R mailbox system

Mailbox system

Number of mailboxes 6 separately lockable mail compartments
Individual compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material Stainless steel V2A, powder-coated in RAL colour of your choice
Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Standard Mailboxes conforming to DIN EN 13724

Bell and intercom unit

Doorbell buttons 6 round stainless steel doorbell buttons, Type 4
Bell/intercom module Stainless steel V2A, powder-coated in RAL colour
Intercom preparation Speaker opening with universal adapter for standard built-in speakers
Panel position Left
Cable access Side cable access; concealed cable routing through the stand post

Stand posts and installation

Stand posts Ø 60 mm stainless steel V2A 1.4301, brushed
Installation options Either for screw mounting or for concreting into the ground
Overall height Depending on the selected stand post version
Base material Consistent use of stainless steel V2A
Construction Modular and installation-friendly design
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on the bell/intercom unit

The intercom preparation is intended for the installation of a suitable built-in loudspeaker. Planning, electrical connection and commissioning of the intercom system should be carried out by appropriately qualified specialist personnel.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Installation of the freestanding system

For screw mounting a flat, sufficiently load-bearing foundation is required. For the version to be concreted in, the stand posts must be plumb and permanently anchored in a suitably dimensioned concrete foundation. Fastening and foundation must be matched to the system weight, ground conditions and local circumstances.

Note on weather protection

Mail items are best protected from moisture and dirt when fully inserted and the mail flaps are closed. Protruding letters or magazines can prevent the flaps from closing completely.

BASIC Plus construction and spare parts

The BASIC Plus series is modular and installation-friendly. The consistent use of stainless steel V2A supports a long service life; spare parts for BASIC Plus systems are readily available.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	6 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Number of boxes	with 6 letterboxes
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Removal of mail	On the front

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	440.0
Width of letterbox system in mm	600.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	765.0
Depth in mm	435.0
Weight in kg	50
Delivery condition	Delivery is made in blocks, stand elements / mailbox are delivered separately

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618