8-unit freestanding mailbox system Design BASIC 385-VA ST-R - stainless steel V2A, brushed | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | Stainless steel, brushed | with 8 mailboxes



Product number 385-VA-8W

Product description

Freestanding 8-compartment mailbox system BASIC 385 for 8 households – wide, multi-column design – brushed V2A stainless steel

The freestanding BASIC 385 mailbox system for 8 households combines a robust construction with a clear, functional design. It is suitable for apartment buildings, residential complexes and commercial properties and can be positioned independently of the building façade at the property entrance, at a driveway or alongside an access path.

The W variant arranges the mailboxes in a wider, multi-column layout and creates a clear frontage for multiple users.

The mailboxes are made from weather-resistant V2A stainless steel 1.4301 and are finely brushed. A close-fitting side cladding with a rain hood unites the individual mailboxes into a single, enclosed system.

Each compartment has an insertion slot of 35 × 265 mm for DIN C4 items in portrait format. A noise-dampening rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox is supplied with two keys with key number and an interchangeable nameplate located beneath the insertion flap.

The advantages of the BASIC 385 at a glance

Substantial stainless steel support posts

Round-tube support posts of approx. 60 mm diameter in brushed V2A stainless steel 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at the property entrance.

Large insertion opening compliant with DIN EN 13724

The insertion opening of 35 × 265 mm is designed for DIN C4 items in portrait format. Larger envelopes can also be inserted without folding.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and convenient retrieval

A noise-dampening rubber lip reduces the slamming of the insertion flaps. Mail is retrieved from the front via doors that open from left to right.

Entirely made from brushed stainless steel

The stainless steel design combines mailboxes, cladding and support posts into a high-quality, low-maintenance complete system.

Proven BASIC quality Made in Germany

The combination of solid material selection, DIN EN 13724-compliant compartments and an assembly-friendly construction makes the BASIC 385 a durable solution for daily use.

Equipment of the BASIC 385 mailbox system

Mailbox system

Design Wide, multi-column design
Number of mailboxes 8 separately usable compartments
Mailbox material V2A stainless steel 1.4301
Finish V2A stainless steel 1.4301, brushed
Rain hood / side cladding V2A stainless steel 1.4301, brushed
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Insertion opening 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-dampening rubber lip
Mail retrieval Front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the insertion flap
Standard Mailboxes compliant with DIN EN 13724

Support posts and fittings

Support posts Round tube approx. 60 mm in V2A stainless steel 1.4301, brushed
Mounting options Optionally for screw fixing or for embedding in concrete
Fastening Anchor bolts for screw mounting are not included; select separately to suit the foundation

Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on the product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres of volume; depending on the variant, 300 × 220 × 385 mm with approx. 25 litres of volume is also available.

Mounting by embedding in concrete

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

For the freestanding system we recommend a sufficiently dimensioned concrete foundation. When embedding, the stainless steel support posts must be aligned plumb and permanently anchored in the foundation. Foundation size and embedment depth should be adjusted to ground conditions, system weight and local circumstances.

Screw mounting on a foundation

A flat and load-bearing concrete foundation is required for screw mounting. Suitable anchor bolts or fixing elements must be chosen to match the substrate and the load on the system. For the BASIC-385-ST-R variants, anchor bolts are not included in the standard delivery.

Note on weather protection

Mail items are best protected from moisture and contamination when fully inserted and with the insertion flap closed. Protruding items can prevent the flap from closing completely. Under extreme weather conditions, moisture may enter the mailbox despite norm-compliant construction.

Product properties

Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Number of boxes	with 8 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	440.0
Width of letterbox system in mm	600.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	765.0
Depth in mm	435.0
Weight in kg	42
Delivery condition	Delivery is made in blocks; freestanding elements / mailbox delivered split


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618