2-unit 1x2 recessed mailbox system BASIC 382U UP with doorbell box - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | 100mm depth | Top | with 2 mailboxes



Product number 382U-7016-2S-SP-O-100

Product description

2-unit 1x2 flush-mounted letterbox system BASIC 382U UP with bell panel - RAL 7016 anthracite grey

Modern 2-unit flush-mounted letterbox with bell panel for intercom system (optional camera) - made in Germany by Briefkasten Manufaktur.

The letterbox is made of galvanised steel, powder-coated in anthracite grey RAL 7016. The very high-quality workmanship and the well thought-out concept make this flush-mounted letterbox one of our top sellers. A rain drip edge for optimal water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical mail retention bar and the very robust lock characterise this flush-mounted letterbox. The flush-mounted frame made of stainless steel V2A is equipped with a foam rubber seal and guarantees very high durability.

Thanks to the construction, self-installation is straightforward.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- **2-unit flush-mounted letterbox made of galvanised steel, powder-coated in anthracite grey RAL 7016.**
- The system is manufactured at the Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape — large letters also fit in here without folding.
- Insertion flap with noise-damping rubber seal for very quiet insertion of mail.
- The door opens from left to right.
- Incl. 2 keys with key number, interchangeable nameplate (Type 2) under the insertion flap and mail retention bar.
- Large capacity with optional mailbox depth +50 mm = approx. 17 l. Suitable for businesses and households with very high mail volumes.
- **Intercom/bell module made of galvanised steel, powder-coated in anthracite grey RAL 7016**
- Speech aperture with universal adapter. (Intercom system/flush-mount loudspeaker not included). Optionally also available without speech aperture.
- The universal adapter is suitable for all common flush-mount loudspeakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit etc.).
- Round stainless steel doorbell button Type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP54 (push-force limitation).
- Anti-vandalism - The nameplate is impact-resistant and shockproof; the plastic is flame-retardant.
- Plaster cover frame made from stainless steel angle profile 25 x 58 mm, powder-coated in RAL 7016 anthracite grey.

Important information

Camera or intercom preparation

The intercom systems must be connected by a qualified electrician. For planning, installation and commissioning, please contact a qualified electrician you trust.

Water protection

Mail is only protected from moisture and dirt when fully inserted and the flap is closed. Under certain extreme weather conditions, water may still enter (according to DIN EN 13724 up to 1 cm^3). This is not grounds for complaint.

Product properties

Material	Steel, galvanised
Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Number of boxes	with 2 letterboxes
Removal of mail	On the front
Surface/colour	Brushed
Mounting type	Flush-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	810.0
Width of letterbox system in mm	405.0
Total width in mm	405.0
Depth in mm	100.0 | 150.0
Weight in kg	11
Delivery condition	Delivered fully assembled.


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618