# 4-unit stainless-steel mailbox system Design BASIC Plus 385XW for side wall mounting - RAL colour of your choice | Left | with 4 mailboxes (1x4)

**Product number** 385XW-4S



## Product description

## Side-mounted BASIC Plus 385XW mailbox system for 4 households – box position left

The BASIC Plus 385XW is a high-quality stainless steel mailbox system for side wall mounting for 4 households. It was developed for multi-family homes, residential properties and smaller commercial buildings and enables space-saving installation to the side of the front door or on a suitable wall area.

Four mailboxes are combined in a narrow, vertical unit – ideal where there is little space at the front of the entrance.

The mailboxes are made of stainless steel V2A 1.4301 and are powder-coated in a RAL or DB colour of your choice. The rain hood and side cladding are also made of stainless steel. Side mounting is via stainless steel posts 60.3 mm in diameter with a 240-grit brushed finish.

In this product variant the box position is on the left. The side arrangement creates a clear mounting edge and allows the mailbox system to be aligned to the structural situation at the entrance.

## The advantages of the BASIC Plus 385XW at a glance

### Massive stainless steel mounting posts

Side wall mounting is via Ø 60.3 mm posts made of stainless steel V2A 1.4301 with a 240-grit brushed finish. They provide a stable and durable connection between the mailbox system and the building wall.

### Side wall mounting

The 385XW is mounted to the side of a suitable house wall. The box position of this variant is left; this allows the system to be specifically adapted to the existing entrance situation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

### BASIC Plus in stainless steel V2A

Mailboxes, cladding and the fastening elements consistently use stainless steel V2A 1.4301. The powder-coated mailboxes combine a high-quality surface with a durable construction.

### DIN C4 letter slot with rubber lip

Each mailbox has an insertion opening of 35 × 265 mm for DIN C4 portrait. A noise-damping rubber lip reduces the impact of the letter flap.

### Robust solution for 4 households

Four separate mailboxes combine everyday practicality with particularly space-saving side mounting. The modular BASIC Plus construction also simplifies maintenance and spare-part installation.

## Equipment of the BASIC Plus 385XW for 4 households

### Mailbox system

**Number of mailboxes** 4 mailboxes
**Arrangement** 1 column × 4 rows
**Material** Stainless steel V2A 1.4301
**Finish** Powder-coated in chosen RAL/DB colour
**Rain hood / side cladding** Stainless steel V2A 1.4301, powder-coated to match
**Manufacture** Made in Germany by Briefkasten Manufaktur Lippe

### Mail and operation

**Letter slot** 35 × 265 mm per mailbox, suitable for DIN C4 portrait
**Mail volume** Approx. 12 litres per mailbox
**Letter flaps** With noise-damping rubber lip
**Mail retrieval** From the front
**Door opening** Left to right
**Keys** 8 keys in total, 2 per mailbox
**Nameplates** 4 interchangeable nameplates beneath the letter flaps

### Side mounting

**Box position** Left
**Mounting posts** Ø 60.3 mm stainless steel V2A 1.4301
**Surface of posts** 240-grit brushed finish
**Mounting method** Screw mounting to a suitable house wall
**Fixings** Choose anchor bolts or coach screws on-site appropriate to the wall
**Standard** Mailboxes in accordance with DIN EN 13724

#### Note on side wall mounting

The wall must be clean, even and sufficiently load-bearing for the weight of the complete mailbox system. Anchor bolts or coach screws are not included and must be selected to suit the wall construction, system weight and the local mounting situation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

#### Note on weather protection

Mail items must be fully inserted so that the letter flaps can close. The insertion front should preferably not be directly exposed to the prevailing weather. In extreme weather conditions, moisture may penetrate despite standard-compliant design.

#### Care and BASIC Plus construction

Stainless steel V2A is low-maintenance and durable. The modular BASIC Plus construction has been designed for straightforward installation and good spare parts availability.

## Product properties

| | |
|---|---|
| **Surface/colour** | RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white |
| **Series** | BASIC |
| **Boxes by volume** | Normal > 10 litres |
| **Number of boxes** | with 4 letterboxes |
| **Name labelling** | Nameplate |
| **Material** | Stainless steel V2A 1.4301 |
| **House number** | House number as laser engraving |
| **Removal of mail** | On the front |
| **Mounting type** | Surface-mounted |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimensions


| | |
|---|---|
| **Height in mm** | 600 |
| **Height of single box in mm** | 110.0 |
| **Width of single box in mm** | 300.0 |
| **Capacity in litres** | 12 |
| **Height of letterbox slot in mm** | 35.0 |
| **Width of letter slot in mm** | 265.0 |
| **Height of letterbox in mm** | 440.0 |
| **Width of letterbox system in mm** | 300.0 |
| **Total width in mm** | 400.0 |
| **Depth in mm** | 435.0 |
| **Weight in kg** | 29 |
| **Delivery condition** | Delivery is made in blocks; freestanding elements / mailboxes are delivered in sections. |


### Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618






Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# More images











Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618