5-unit freestanding mailbox Design BASIC 385 ST-R with doorbell box - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | Top | with 5 mailboxes



Product number 385-7016-5-SP

Product description

Freestanding 5-unit mailbox system BASIC 385 for 5 households with bell/intercom unit – RAL 7016 Anthracite grey

The freestanding BASIC 385 mailbox system for 5 households combines a robust construction with a clear, functional design. It is suitable for apartment buildings, smaller residential complexes as well as office and medical practice properties and can be positioned independently of the building façade at the property entrance, by a driveway or along the access path.

The system configuration is matched to the respective number of households and, together with a rain canopy and side cladding, forms a unified assembly.

The mailboxes are made of galvanised steel and are powder-coated in RAL 7016 Anthracite grey fine-textured matt. A close-fitting side cladding with rain canopy unites the individual mailboxes into a closed overall unit.

Each compartment has a letter slot of 35 × 265 mm for DIN C4 items in portrait format. A noise-damping rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox is supplied with two keys with key number and a replaceable nameplate beneath the letter flap.

The integrated bell/intercom unit combines bell function and preparation for an intercom system directly within the mailbox system.

The advantages of the BASIC 385 at a glance

Solid stainless steel support posts

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Round-tube support posts with approx. 60 mm diameter made of brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for permanent use at the property entrance.

Large letter slot to DIN EN 13724

The insertion opening of 35 × 265 mm is designed for DIN C4 items in portrait format. Larger envelopes can also be inserted without folding.

Quiet insertion and convenient collection

A noise-damping rubber lip reduces the impact of the letter flaps. Mail is retrieved from the front via doors that open from left to right.

Durable surface in RAL 7016

The matt fine-textured surface in Anthracite grey combines a modern appearance with a durable coating of the galvanised steel.

Bell/intercom unit integrated directly

The bell/intercom panel is integrated directly into the mailbox system.

Equipment of the BASIC 385 mailbox system

Mailbox system

Design Article-specific system configuration
Number of mailboxes 5 separately usable compartments
Mailbox material Galvanised steel
Surface RAL 7016 Anthracite grey fine-textured matt
Rain canopy / side cladding Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-textured matt
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail handling and operation

Letter slot 35 × 265 mm, suitable for DIN C4 portrait
Letter flaps With noise-damping rubber lip
Mail retrieval Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Replaceable nameplate beneath the letter flap
Standard Mailboxes conforming to DIN EN 13724

Support posts and fittings

Support posts Round tube approx. 60 mm made of brushed stainless steel V2A 1.4301
Mounting options Selectable for bolted mounting or for concreting in
Fixings Bolt anchors for bolted mounting are not included; select suitable anchors for the foundation separately
Bell/intercom unit Integrated functional panel
Intercom preparation Speaker aperture with universal adapter for standard flush-mounted loudspeakers

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Doorbell button Round stainless steel doorbell button matching the product design

Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on the product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres of volume; depending on the variant, 300 × 220 × 385 mm with approx. 25 litres of volume is also available.

Installation by concreting in

For the freestanding unit we recommend a suitably dimensioned concrete foundation. When concreting in, the stainless steel support posts must be aligned plumb and permanently anchored in the foundation. Foundation size and embedment depth should be adapted to ground conditions, unit weight and local circumstances.

Bolted mounting on a foundation

For bolted mounting a flat, load-bearing concrete foundation is required. Suitable bolt anchors or fixings should be selected to suit the subsoil and the load on the unit. For the BASIC-385-ST-R variants, bolt anchors are not included in the standard scope of delivery.

Note on weather protection

Mail is best protected from moisture and dirt only when fully inserted and with the letter flap closed. Protruding items can prevent the flap from closing completely. Under extreme weather conditions, moisture may enter the mailbox despite compliance with standards.

Note on bell and intercom technology

The bell/intercom unit is prepared with a speaker aperture and universal adapter for common flush-mounted loudspeakers. Intercom systems or loudspeakers are not included in the standard scope of delivery. Planning, connection and commissioning of electrical components should be carried out by a qualified electrician.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Series	BASIC
Number of bell push buttons	5 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Surface/colour	RAL 7016 anthracite grey
Removal of mail	On the front
Number of boxes	with 5 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	300.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	37
Delivery condition	Delivery is made in blocks; stand elements / mailbox are delivered separately.


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen





More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618