
6-mailbox BASIC system with 6 parcel compartments and LED lighting – choice of RAL colour

Product number BML3D-13XU1243RK



Product description

Freestanding stainless steel mailbox system for six households with separate parcel compartments

This freestanding unit from the BASIC Horizontal series combines six horizontal mailboxes with six separately lockable parcel compartments and a full-width functional box. It provides a combined system for receiving letters and parcels, with access from the front.

Made from V2A 1.4301 stainless steel, the unit is powder-coated in your choice of RAL colour. Close-fitting cladding, a flat rain canopy and a rear panel complete the structure. The unit is bolted down through the plinth using an internal base plate.

Features of this mailbox system

- Overall external dimensions of the system: 1125 × 1252 × 430 mm (W × H × D).
- 6 horizontal mailboxes, each with external box dimensions of 370 × 110 × 385 mm (W × H × D), with mail retrieval from the front.
- 6 accessory boxes without letter slots, used as parcel compartments, each with a door and a BASIC series parcel lock with T-handle; external box dimensions each 370 × 440 × 385 mm (W × H × D).
- 1 functional box with external box dimensions of 1110 × 110 × 385 mm (W × H × D) and a fascia secured with fastening screws.
- Installed as a freestanding unit with a plinth frame and internal base plate for bolting down.
- Base material: V2A 1.4301 stainless steel; finish: powder coating in your choice of RAL colour.
- Close-fitting cladding with two side panels, a flat rain canopy and a rear panel.
- Laser-cut lettering with white backlighting and 6 BASIC Type 2 plastic nameplates.

Special features of this mailbox system

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Parcel delivery with mechanical single-use release

Each of the six parcel compartments is fitted with a BASIC series parcel lock with T-handle. You use your key to release the relevant lock for a single opening. The courier opens the released compartment, places the parcel inside and, after closing the door, pushes the lock in to secure it. You then open the compartment with your key to retrieve the parcel.

For another keyless delivery, you must release the relevant compartment again. Each parcel lock comes with two keys and has its own individual key number.

The external box dimensions of 370 × 440 × 385 mm are not the maximum parcel dimensions. Whether a parcel fits depends on the clear door opening and the usable internal space.

Mailboxes with protected cam locks

Each of the six mailboxes has a cam lock with a stainless steel protective flap and two keys. The flap protects the lock against the ingress of liquids and dirt particles.

A rain run-off edge and a continuous rubber lip on the letter flap complement the mailboxes. The rubber lip reduces noise when mail is inserted. The letter slot is designed for DIN-C4 envelopes.

Replaceable name inserts and backlit lettering

The six BASIC Type 2 nameplates are made from crystal-clear polycarbonate. You can replace their inserts from the front.

The system also includes six laser-engraved inscriptions and twelve laser-cut inscriptions with white backlighting.

Full-width functional box with screw-secured fascia

The functional box, made from V2A 1.4301 stainless steel, spans the system at a width of 1110 mm. It has an integrated rain run-off edge, and its fascia is secured with fastening screws. No lock has been selected for this box.

Individually configurable

Design your mailbox system to suit your home: select “Configure now” to adapt this configuration to your requirements.

- Supports in the right length: choose from the post lengths available for your installation requirements. You can change the length shown in the image.
- Box finish: customise the colour in the 3D configurator using the colours available for this version.
- Personalised lettering: customise the designated areas with your own names, house numbers or text of your choice. The lettering shown is for illustration and can be replaced.
- Lettering style: choose from the fonts available for the lettering and adjust its appearance in the configurator.
- Backlit lettering can be configured on the designated areas of this system.
- Equipment: add or change compatible components from the options available for this system.

When you make individual changes, the dimensions and price are recalculated in the 3D configurator to reflect your selection.

Important information

Water protection: a sheltered location, preferably beneath a canopy, helps protect your mail. Mail should be inserted fully and the letter flap should be closed.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Installation: the selected system requires a suitable load-bearing surface. Follow the installation instructions and take account of the configured fixing method.

Product properties

Series	BASIC
Functions	Parcel compartment
Number of boxes	with 6 parcel boxes, with 6 letterboxes
Name labelling	Nameplate
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	RAL of your choice (according to colour table)

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110
Width of single box in mm	370
Overall height in mm	1252
Total width in mm	1125
Depth in mm	430

Dimension drawing





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618