14-unit (7×2) surface-mounted mailbox system Design BASIC 385A-9016 AP - RAL 9016 traffic white | RAL 9016 Traffic White, fine-textured matt | with 14 mailboxes (2x7) | 300x110x385 mm (WxHxD) - ?? Normal 12 litres



Product number 385A-9016-14W

Product description

Wide surface-mounted mailbox system BASIC 385A for 14 households – RAL 9016 Traffic White

The BASIC 385A surface-mounted mailbox system for 14 households is a robust wall solution for larger apartment buildings, residential complexes and commercial properties. The wider W variant distributes the mail compartments across a multi-column front and keeps the overall system comparatively lower and tidy.

The mailboxes are made of galvanised steel and are powder-coated in RAL 9016 Traffic White with a matt fine texture. The light surface provides a clear, understated look for modern entrance areas.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm insertion aperture is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable nameplate beneath the insertion flap.

The advantages of the BASIC 385A surface-mounted system at a glance

Rain canopy and side cladding

Rain canopy and side panels combine the individual mail compartments into a closed surface-mounted system. The coordinated cladding creates a calm front and a neat finish at the façade.

DIN C4 insertion and 12 litres volume

The 300 × 110 × 385 mm (W × H × D) compartments each provide approx. 12 litres of volume. The 35 × 265 mm insertion aperture also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip cushions the insertion flap. Sturdy locks, two keys with key number and protected interchangeable nameplates ensure clear use of the individual mailboxes.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail simplifies installation; fixings with screws and wall plugs are included in the described configuration.

Light finish in RAL 9016

Traffic White in a matt fine texture appears bright and linear while protecting the galvanised steel construction of the surface-mounted system. The system is manufactured in Germany at the Briefkasten Manufaktur.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 14 individually lockable mail compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material Galvanised steel, powder-coated in RAL 9016 Traffic White, matt fine texture
Finish RAL 9016 Traffic White, matt fine texture
Standard DIN EN 13724

Mail handling and operation

Insertion aperture 35 × 265 mm, suitable for DIN C4 in portrait orientation
Insertion flaps With noise-reducing rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the insertion flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain canopy Sturdy canopy matching the system
Mounting type Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; check suitability for the wall construction on site
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems, suitable fixing solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is optimally protected from moisture and dirt only when items are fully inserted and the insertion flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Material	Steel, galvanised
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Removal of mail	On the front
Number of boxes	with 14 letterboxes
Mounting type	Surface-mounted
Surface/colour	RAL 9016 traffic white

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	600.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	75
Delivery condition	Delivered partially assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618