6-unit 3x2 Stainless Steel Surface-mounted Mailbox Design BASIC Plus 382XA AP with Doorbell Box - Stainless Steel V2A | 150mm depth | with 6 letterboxes (3x2) | Centre | Stainless steel, brushed



Product number 382XA-VA-6W-SP-150-M

Product description

6-unit 3×2 Stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - Stainless steel V2A

High-quality surface-mounted mailbox for 4 households made in Germany by Briefkasten Manufaktur. The mailbox is made entirely of stainless steel V2A, brushed. The very high-quality workmanship and the well-thought-out concept make this mailbox one of our top sellers. A rain drip edge for optimal water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical mail retention bracket and the very robust lock characterise this surface-mounted mailbox.

The mailbox systems of the BASIC Plus collection are distinguished by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy spare-part assembly and uncomplicated self-installation. Spare parts are directly available for all BASIC Plus systems.

Thanks to the design, self-installation is uncomplicated. The mailbox system is prepared for uncomplicated complete installation; there is no need for complicated individual-box wall mounting. 4-unit surface-mounted mailbox made of weather-resistant stainless steel V2A 1.4301, 240-grit brushed finish.

The benefits at a glance

Stainless steel side cladding with rain canopy

Side cladding and rain canopy are made of stainless steel V2A 1.4301, 240-grit brushed finish and complement the system as a constructively matched weather protection.

Generous letter insertion

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The insertion opening measures 35 × 325 mm and is designed for DIN C4 landscape. The mailbox version complies with DIN EN 13724.

Quiet insertion and comfortable removal

The integrated flap damping with rubber seal reduces impact noise during insertion. The mail retention bracket holds the items back during removal.

Integrated bell and speech area

Bell/intercom section according to the chosen configuration. The stainless steel bell push button Type 4 is used as the bell button. Optionally prepared with a speech grille for the installation of commercially available intercom systems or flush speakers. (Intercom system/flush speaker not included). An option with the Comelit Ultra video complete set is also available.

Quality manufacturing and well-thought-out construction

The system is manufactured at the Briefkasten Manufaktur in Germany. The construction is designed for uncomplicated self-installation.

Equipment and product details

Mailbox system

Number of mailboxes 6 individually usable mail compartments
Arrangement 3 × 2
Depth 150 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox finish 240-grit brushed
Bell/intercom section Bell/intercom section integrated

Mail and operation

Insertion opening 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Letter flap Sound-damped by rubber seal
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the letter flap
Mail retention bracket Integrated for each mailbox

Mounting and equipment

Mounting type Surface-mounted
Rain drip edge Integrated into the construction
Rain canopy Made of stainless steel V2A 1.4301, 240-grit brushed
Side cladding Made of stainless steel V2A 1.4301, 240-grit brushed
Mounting materials For wall mounting incl. mounting rail and fixing materials (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The post is as well protected as possible from moisture and dirt when fully inserted and with the insertion flap closed. Protruding items may prevent the flap from closing completely.

Note on wall mounting

Before mounting, the load-bearing capacity and condition of the wall must be checked. The fixing must be matched to the system weight and the existing wall structure.

Product properties

Series	BASIC
Number of bell push buttons	6 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Number of boxes	with 6 letterboxes
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	760.0
Width of letterbox system in mm	1065.0
Total width in mm	1065.0
Depth in mm	100.0 | 150.0
Weight in kg	34

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618