GOETHE letterbox with newspaper and storage compartment to Swiss postal standard – surface-mounted – choice of RAL colour



Product number BML3D-T5HKG3ENXC

Product description

GOETHE wall-mounted letterbox to Swiss PTT postal standard with milk compartment in your choice of colour

This GOETHE letterbox system from Briefkasten Manufaktur combines a letterbox with a separate milk compartment for newspapers and storage. The letterbox complies with the Swiss PTT postal standard. Mail is retrieved from the front.

This surface-mounted system comes with a powder-coated finish in your choice of RAL colour. Close-fitting aluminium cladding with a flat rain canopy completes the design.

Features of this letterbox system

- Overall external dimensions: 408 × 408 × 425 mm (W × H × D).
- 1 letterbox and 1 accessory compartment serving as a milk compartment or newspaper and storage compartment; external dimensions of each box: 400 × 200 × 400 mm (W × H × D).
- Surface-mounted on the wall; includes 2 mounting rails, each 340 mm long.
- Body made from 1.4016 stainless steel, front panels made from V2A 1.4301 stainless steel.
- Close-fitting cladding made from 3 mm AlMg3 W19 aluminium, with 2 side panels and a flat rain canopy.
- Finish: powder coating in your choice of RAL colour.
- Letterbox with front mail retrieval and a keyed-to-differ Push-Key lock.

Special features of this letterbox system

Letterbox to Swiss PTT postal standard

The letterbox complies with the Swiss PTT postal standard. The system also includes a separate milk compartment, designed for newspapers and storage.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Damped letter flap and thoughtfully designed mail retrieval

The letterbox features a rainwater run-off edge, a continuous rubber lip and a damped letter flap for quiet mail delivery. The letter slot is designed for DIN-C4 envelopes.

The retrieval door is designed to help prevent mail from falling out when opened. The height of the letter slot and the tapered letter chute make unauthorised retrieval through the slot more difficult.

Separate milk compartment for storage

The additional stainless steel compartment provides space for newspapers and magazines and opens upwards. Its external dimensions are 400 × 200 × 400 mm (W × H × D); these do not represent the usable internal space.

The storage compartment is not a secure parcel box.

Two nameplates with a no-junk-mail notice

The letterbox is fitted with two BASIC Type 2 nameplates made from crystal-clear polycarbonate. You can change the inserts from the front.

An insert with the message “No junk mail, thank you” is included.

Individually configurable

Design your letterbox system to suit your home: select “Configure now” to adapt this configuration to your requirements.

- Box finish: customise the colour in the 3D configurator using the colours available for this version.
- Personalised lettering: customise the designated areas with your own names, house numbers or text of your choice. Any lettering shown is an example and can be replaced.
- Font styling: choose from the fonts available for lettering and adjust the appearance in the configurator.
- Equipment: add or change compatible components from the selection currently available for this system.

When you make individual changes, the dimensions and price are recalculated in the 3D configurator to reflect your selection.

Important information

Water protection: a sheltered location, preferably under a canopy, helps protect your mail. Mail should be fully inserted and the letter flap closed.

Installation: check the mounting surface and installation conditions against the overall dimensions and the installation instructions.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Series	GOETHE
Access control	Push-Key
Name labelling	Nameplate
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Removal of mail	On the front
Surface/colour	RAL of your choice (according to colour table)
Number of boxes	with 1 letterbox
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	200
Width of single box in mm	400
Overall height in mm	408
Total width in mm	408
Depth in mm	425

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618