12-unit 3x4 stainless-steel surface-mounted mailbox system Design BASIC 385 A 220 - stainless steel V2A brushed | 300x220x385 mm (WxHxD) - ???? Large 25 litres | with 12 mailboxes (4x3) | Stainless steel, brushed



Product number 385A220-12W

Product description

Wide surface-mounted mailbox system BASIC 385A 220 for 12 units – 25 litres per compartment – stainless steel V2A brushed

The BASIC 385A surface-mounted mailbox system for 12 units is a robust wall-mounted solution for apartment buildings, residential complexes and commercial properties. The wider W-design distributes the mailboxes across a multi-column front and keeps the overall system lower and more compact in proportion.

The mailbox system is made from high-quality stainless steel V2A with a brushed finish. Mailboxes, cladding and rain canopy form a timeless, low-maintenance and sturdy stainless steel unit.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of volume. The 35 × 265 mm insertion aperture is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and a replaceable nameplate located beneath the insertion flap.

The advantages of the BASIC 385A 220 surface-mounted system at a glance

Rain canopy and side cladding

The rain canopy and side panels combine the individual mailboxes into a single enclosed surface-mounted unit. The coordinated cladding provides a calm front and a neat finish on the façade.

25 litres volume per compartment

The 300 × 220 × 385 mm (W × H × D) compartments each offer approx. 25 litres of volume. The 35 × 265 mm insertion aperture also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the insertion flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear assignment of each mailbox.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade installation. A mounting rail facilitates installation; fixing materials including screws and wall plugs are included in the described configuration.

Entirely in brushed stainless steel

The V2A finish combines a high-quality metal surface with a robust construction for long-lasting surface-mounted mailbox systems. The unit is manufactured in Germany at the Briefkasten Manufaktur.

Specification of the BASIC 385A 220 mailbox system

Mailbox system

Number of mailboxes 12 individually lockable compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per mailbox
Material Stainless steel V2A 1.4301, brushed
Surface Stainless steel V2A 1.4301, brushed
Standard DIN EN 13724

Mail and operation

Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With sound-damping rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the insertion flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain canopy Solid canopy matching the unit
Type of mounting Surface-mounted wall installation
Mounting aid Mounting rail
Fixing materials Screws and wall plugs included; suitability for the on-site wall structure must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems (ETICS), appropriate fixing solutions must be determined on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the insertion flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Series	BASIC
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted
Number of boxes	with 12 letterboxes

Dimensions

Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	1200.0
Total width in mm	1208.0
Depth in mm	435.0
Weight in kg	52
Delivery condition	Delivered partly assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618