# 4-unit freestanding mailbox system Design BASIC 385-VA ST-R - Stainless steel V2A, brushed | with 4 mailboxes (1x4) | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | Stainless steel, brushed



**Product number** 385-VA-4S

## Product description

## Freestanding 4-unit mailbox system BASIC 385 for 4 households – narrow, vertically oriented version – stainless steel V2A, brushed

The freestanding BASIC 385 mailbox system for 4 households combines a robust construction with a clear, functional design. It is suitable for apartment buildings, smaller residential complexes as well as office and medical practice properties and can be positioned independently of the building façade at the property entrance, by a driveway or along an access path.

The S version is vertically oriented and uses the available system width particularly efficiently – ideal for narrower property access routes.

The mailboxes are made of weather-resistant stainless steel V2A 1.4301 and are finely brushed. A close-fitting side cladding with a rain hood unites the individual mailboxes into a continuous overall system.

Each mailbox has a letter slot of 35 × 265 mm for DIN C4 items in portrait orientation. A noise-dampening rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox is supplied with two keys with a key number and a changeable nameplate below the letter flap.

## The advantages of the BASIC 385 at a glance

### Solid stainless steel support posts

Round-tube support posts of approx. 60 mm diameter made of brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at the property entrance.

### Large letter slot compliant with DIN EN 13724

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The letter slot measuring 35 × 265 mm is designed for DIN C4 items in portrait orientation. Larger envelopes can also be deposited without bending.

### Quiet posting and comfortable retrieval

A noise-dampening rubber lip reduces the impact of the letter flaps. Mail is retrieved from the front via doors that open from left to right.

### Entirely made of brushed stainless steel

The stainless steel version combines mailboxes, cladding and support posts into a high-quality, low-maintenance overall system.

### Proven BASIC quality Made in Germany

The combination of solid material selection, DIN EN 13724-compliant mail compartments and an installation-friendly construction makes the BASIC 385 a durable solution for everyday use.

## Equipment of the BASIC 385 mailbox system

### Mailbox system

**Design** Narrow, vertically oriented version
**Number of mailboxes** 4 separately usable compartments
**Mailbox material** Stainless steel V2A 1.4301
**Surface finish** Stainless steel V2A 1.4301, brushed
**Rain hood / side cladding** Stainless steel V2A 1.4301, brushed
**Manufacture** Made in Germany by Briefkasten Manufaktur Lippe

### Mail and operation

**Letter slot** 35 × 265 mm, suitable for DIN C4 portrait
**Letter flaps** With noise-dampening rubber lip
**Mail retrieval** From the front
**Door opening** From left to right
**Keys** 2 keys with key number per mailbox
**Nameplate** Changeable nameplate below the letter flap
**Standard** Mailboxes conforming to DIN EN 13724

### Support posts and accessories

**Support posts** Round tube approx. 60 mm in stainless steel V2A 1.4301, brushed
**Installation options** Optionally for bolted mounting or for embedding in concrete
**Fixings** Anchor bolts for bolted installation not included; select suitable fixings separately to match the foundation

#### Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on the product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres capacity; depending on the variant, 300 × 220 × 385 mm with approx. 25 litres capacity is also available.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

#### Installation by embedding in concrete

For the freestanding system we recommend a suitably dimensioned concrete foundation. When embedding in concrete, the stainless steel support posts must be set perfectly plumb and permanently anchored in the foundation. Foundation size and embedment depth must be matched to ground conditions, system weight and local circumstances.

#### Bolted installation on a foundation

For bolted installation a flat, load-bearing concrete foundation is required. Suitable anchor bolts or fixings should be selected to suit the substrate and the load on the installation. For the BASIC-385-ST-R versions, anchor bolts are not included in the standard scope of delivery.

#### Note on weather protection

Mail items are best protected from moisture and contamination only when fully inserted and with the letter flap closed. Protruding items can prevent the flap from closing completely. In extreme weather conditions, moisture can enter the mailbox despite compliance with standards.

## Product properties

| | |
|---|---|
| **Series** | BASIC |
| **Boxes by volume** | Normal > 10 litres |
| **Number of boxes** | with 4 letterboxes |
| **Name labelling** | Nameplate |
| **Mounting type** | Free-standing |
| **Material** | Stainless steel V2A 1.4301 |
| **Removal of mail** | On the front |
| **Surface/colour** | Brushed |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimensions

| | |
|---|---|
| **Height of single box in mm** | 110.0 |
| **Width of single box in mm** | 300.0 |
| **Capacity in litres** | 12 |
| **Height of letterbox slot in mm** | 35.0 |
| **Width of letter slot in mm** | 265.0 |
| **Height of letterbox in mm** | 440.0 |
| **Width of letterbox system in mm** | 300.0 |
| **Overall height in mm** | 1200.0 \| 1500.0 \| 1700.0 |
| **Total width in mm** | 465.0 |
| **Depth in mm** | 435.0 |
| **Weight in kg** | 24 |
| **Delivery condition** | Delivery is in blocks; freestanding elements / mailbox delivered separately. |


### Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Montagebohrungen




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618