Surface-mounted mailbox system Design BASIC 385 A 220 - RAL 7016 anthracite grey, fine-textured matt | RAL 7016 Anthracite grey, fine texture, matt | 300x220x385 mm (WxHxD) - ???? Large 25 litres | with 1 mailbox



Product number 385A220-7016-1

Product description

Surface-mounted mailbox BASIC 385A 220 for 1 unit – 25 litres per compartment – RAL 7016 Anthracite grey

The BASIC 385A surface-mounted mailbox system for 1 unit is a robust wall solution for single-family houses, offices, medical practices and individual commercial units. The compact single-unit system is suitable for a clear, space-saving installation directly on the façade.

The mailboxes are made of galvanised steel and powder-coated in RAL 7016 Anthracite grey fine-texture matt. The close-fitting cladding with rain canopy combines the individual compartments into a continuous, modern surface-mounted system.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of volume. The 35 × 265 mm insertion opening is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox includes two keys with key number and an interchangeable nameplate located under the insertion flap.

The advantages of the BASIC 385A 220 surface-mounted system at a glance

Compact wall-mounted solution

The single mailbox is mounted directly on the façade and combines a large mail insertion opening with continuous side panels and a rain canopy.

25 litres mail volume per compartment

The 300 × 220 × 385 mm (W × H × D) compartments each provide approx. 25 litres of volume. The 35 × 265 mm insertion opening also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the insertion flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear allocation of the individual compartments.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail simplifies installation; fixings with screws and wall plugs are included in the described configuration.

Durable finish in RAL 7016

The anthracite grey fine-texture finish gives the system a modern appearance and protects the galvanised steel for daily use on the building. The system is manufactured in Germany by Briefkasten Manufaktur Lippe.

Equipment of the BASIC 385A 220 mailbox system

Mailbox system

Number of mailboxes 1 separately lockable compartment
Individual compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per compartment
Material Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-texture matt
Finish RAL 7016 Anthracite grey fine-texture matt
Standard DIN EN 13724

Mail and operation

Insertion opening 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Mail removal Front access
Door opening From left to right
Keys 2 keys with key number per compartment
Nameplate Interchangeable nameplate below the insertion flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain canopy Solid canopy matching the system
Mounting type Surface-mounted wall installation
Mounting aid Mounting rail
Fixings Screws and wall plugs included; check suitability for the existing wall construction on site
Manufacturing Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or thermal insulation composite systems appropriate fixing solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the insertion flap is closed. Overhanging letters or magazines can prevent the flap from closing completely.

Product properties

Material	Steel, galvanised
Series	BASIC
Name labelling	Nameplate
Surface/colour	RAL 7016 anthracite grey
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	220.0
Width of letterbox system in mm	300.0
Total width in mm	308.0
Depth in mm	435.0
Weight in kg	15
Delivery condition	Delivered fully assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618