2-unit stainless steel surface-mounted mailbox system Design BASIC 385 A 220 - stainless steel V2A, brushed | 300x220x385 mm (WxHxD) - ???? Large 25 litres | with 2 letterboxes (1x2) | Stainless steel, brushed



Product number 385A220-2

Product description

Surface-mounted mailbox system BASIC 385A 220 for 2 households – 25 litres per compartment – brushed stainless steel V2A

The BASIC 385A surface-mounted mailbox system for 2 households is a robust wall solution for semi-detached houses, properties with a secondary flat and smaller office buildings. The balanced arrangement groups all mail compartments into a clearly structured and visually cohesive wall unit.

The mailbox system is made from high-quality stainless steel V2A with a brushed finish. Mailboxes, cladding and rain hood form a timeless, low-maintenance and robust stainless steel unit.

Each compartment measures 300 × 220 × 385 mm (W × H × D) and offers approx. 25 litres of volume. The 35 × 265 mm deposit opening is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable nameplate beneath the deposit flap.

The advantages of the BASIC 385A 220 surface-mounted unit at a glance

Rain hood and side cladding

The rain hood and side panels combine the individual compartments into a cohesive surface-mounted unit. The coordinated cladding provides a calm front and a neat finish to the façade.

25 litres mail volume per compartment

The 300 × 220 × 385 mm (W × H × D) compartments each provide approx. 25 litres of volume. The 35 × 265 mm deposit opening also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet deposit and secure allocation

The rubber lip dampens the deposit flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear assignment of the individual mail compartments.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade installation. A mounting rail simplifies installation; fixings including screws and wall plugs are included in the described specification.

Complete in brushed stainless steel

The V2A version combines a high-quality metal surface with a robust construction for long-lasting surface-mounted mailbox systems. The unit is manufactured in Germany by Briefkasten Manufaktur Lippe.

Equipment of the BASIC 385A 220 mailbox system

Mailbox system

Number of mailboxes 2 separately lockable compartments
Single compartment 300 × 220 × 385 mm (W × H × D)
Volume Approx. 25 litres per mailbox
Material Stainless steel V2A 1.4301, brushed
Finish Stainless steel V2A 1.4301, brushed
Standard DIN EN 13724

Mail and operation

Deposit opening 35 × 265 mm, suitable for DIN C4 portrait
Deposit flaps With noise-dampening rubber lip
Mail collection Front access
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the deposit flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain hood Sturdy, matching the unit
Installation type Surface-mounted wall installation
Assembly aid Mounting rail
Fixings Screws and wall plugs included; check suitability for the wall construction on site
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be flat and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation systems, appropriate fixing solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the deposit flap is closed. Protruding letters or magazines may prevent the flap from closing completely.

Product properties

Series	BASIC
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Number of boxes	with 2 letterboxes
Removal of mail	On the front
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	220.0
Width of single box in mm	300.0
Capacity in litres	25
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	440.0
Width of letterbox system in mm	300.0
Total width in mm	308.0
Depth in mm	435.0
Weight in kg	22
Delivery condition	Delivered fully assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618