Designer flush-mounted mailbox GOETHE UP with side newspaper compartment - RAL colour of your choice - prepared for LOXONE intercom | Left | with newspaper compartment | Prepared for a 1x1 LOXONE Intercom



Product number 215-UP-1-SPSZF-LX-L-LOX1

Product description

Design flush-mounted mailbox GOETHE UP side with newspaper compartment - RAL colour of your choice - prepared for LOXONE intercom

High-quality flush-mounted mailbox with newspaper compartment and side LOXONE intercom in a flush design. The modern GOETHE mailbox is ideal for a sophisticated entrance area. The clean-lined design without a visible lock gives this mailbox a particularly elegant appearance. The LOXONE intercom can be seamlessly integrated into the flush design and replaced at any time. The preparation is intended for 1 piece LOXONE Intercom (incl. drilling for sound outlet) or 1 piece LOXONE Intercom (incl. drilling for sound outlet) + 1 piece LOXONE NFC Code Touch/Touch Pure.

The dimensions of the single box provide a capacity of approximately 16 litres; the large letter slot ensures that DIN C4 envelopes and magazines, or post accumulated during several days' absence, are not creased. The innovative push-key lock is hidden invisibly inside the mailbox. The key is simply inserted into the existing opening (no turning required) and the door opens. The arrangement of the lock is designed so that the retrieval door prevents the post from falling towards you. Thanks to the water-drip edge, the post stored inside is optimally protected from the weather. The letter flap is fitted with high-quality hinge dampers, ensuring quiet closing and preventing annoying rattling due to weather influences.

The mailbox systems of the GOETHE collection are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility/modularity, easy spare-part assembly and straightforward self-installation. Spare parts for all GOETHE systems are available directly in our shop.

Thanks to the design, self-installation is straightforward.

Protected utility model under DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- Flush-mounted mailbox completely made of stainless steel.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Mailbox (BH 400x400mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL colour of your choice.
- Innovative push-key lock with 2 keys.
- Letters are inserted and retrieved from the front. Letter flap with high-quality hinge dampers for very quiet insertion of mail.
- The mailbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape; large letters fit in here without being folded.
- Retrieval door opens from top to bottom. This prevents the post from falling towards you.
- Newspaper compartment (BH 400x200mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL colour of your choice with stainless steel laser engraving "NEWSPAPER" (font ARIAL; if name/house number, then in your chosen font).
- Newspaper compartment opens from bottom to top.
- Functional box (BH 200x600mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL colour of your choice.
- Optionally with house number, laser-engraved or house number, backlit in white including EVN LED power supply / transformer IP65 12V DC 0.1−4W for the LED illumination of the house number.
- Optionally with name inscription, laser-engraved or through-engraving (illuminated).
- Plaster cover frame made from 2 mm stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.
- **WITHOUT LOXONE intercom/system components!**

Important information

Camera or intercom station preparation

We always recommend that electrical installation be carried out by a qualified electrician.

We offer preparation for intercom stations from various manufacturers for our mailboxes. The preparation does not include end devices; it comprises the provision of mounting brackets, drillings & perforations so that you can mount your end device without difficulty.

Water protection

To achieve optimal water protection for your post, the mailbox or mailbox system should, where possible, be located under an overhang.

Mail is only protected from water if it is placed completely inside the box and the letter flap is closed. Partially inserted mail allows moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Entry of water is not grounds for complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Functions	Newspaper compartment, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	LOXONE
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Flush-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 400.0 | ZF 200.0
Width of single box in mm	400,0
Capacity in litres	BK 16.0 | ZF 8.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Height of letterbox in mm	External dimension 652.0 | installation dimension 605.0
Width of letterbox system in mm	External dimension 652.0 | installation dimension 605.0
Overall height in mm	recommended 1500.0 - 1700.0
Total width in mm	650,0
Depth in mm	100.0 | installation dimension 103.5
Weight in kg	21
Delivery condition	Delivery is assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618