6-piece stainless steel flush-mounted letterbox system BASIC Plus 382XU UP with bell box on the side | Left | 150mm depth | with 6 letterboxes | Stainless steel, brushed



Product number 382XU-VA-6-SPS-150-L

Product description

6-unit stainless steel recessed letterbox system BASIC Plus 382XU UP with side-mounted doorbell panel - brushed stainless steel

Modern recessed letterbox for 6 households - made in Germany by Briefkasten Manufaktur.

The letterbox is made entirely from stainless steel V2A, brushed. The very high-quality workmanship and the well thought-out concept make this recessed letterbox one of our top sellers. A rain drip edge for optimal water protection, a continuous rubber lip for quiet insertion, the robust replaceable nameplate, a practical mail retention bracket and the very sturdy lock distinguish this recessed letterbox. The recessed frame made of stainless steel V2A is fitted with a foam rubber gasket and guarantees very high durability.

The letterbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility/modularity, simple spare-part assembly and straightforward self-installation. Spare parts for all BASIC Plus systems are available directly.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- **6-compartment recessed letterbox system entirely made of stainless steel V2A 1.4301, 240-grit brushed finish**
- The system is manufactured at Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Letter slot size (3.5 cm x 32.5 cm) for C4 landscape; large letters fit in without folding.
- Insertion flap with noise-dampening rubber seal for very quiet mail insertion.
- The door opens from left to right.
- Includes 2 keys with key number, replaceable nameplate (type 2) beneath the letter slot and mail retention bracket.
- Large capacity with optional mailbox depth +50 mm = approx. 17 l. Suitable for businesses and households with very high mail volumes.
- **Doorbell panel in stainless steel V2A, 240-grit brushed finish**
- Intercom opening with universal adapter. (Intercom system/built-in loudspeaker not included). Optionally also available without intercom opening.
- The universal adapter is suitable for all common built-in loudspeakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- Round stainless steel doorbell push button, type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP54 (push-force limitation).
- Anti-vandalism – the nameplate is impact-resistant and shockproof; the plastic is flame-retardant.
- Plaster cover frame made from stainless steel angle profile 25 x 58 mm, 240-grit brushed finish.

Important information

Provision for camera or intercom station

The intercom systems must be connected by an electrician. For planning, installation and commissioning, consult the electrician of your choice.

Water protection

Mail is only protected from moisture and soiling when fully inserted and with the flap closed. Under certain extreme weather conditions water may still enter (according to DIN EN 13724 up to 1 cc). This does not constitute grounds for a complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Series	BASIC
Number of bell push buttons	6 Taster
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Number of boxes	with 6 letterboxes
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Flush-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	710.0
Width of letterbox system in mm	1285.0
Total width in mm	1285.0
Depth in mm	100.0 | 150.0
Weight in kg	40
Delivery condition	Delivered fully assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618