Single stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with doorbell box – RAL colour of your choice | 100mm depth | ? Colour of your choice | with 1 mailbox | Bottom



Product number 382XA-1-SP-100-U

Product description

Single V2A stainless steel surface-mounted mailbox Design BASIC Plus 382XA AP with bell box - RAL colour of your choice

High-quality surface-mounted mailbox for a single household made in Germany by Briefkasten Manufaktur. The mailbox is made entirely of V2A stainless steel, powder-coated in a RAL colour. The very high-quality workmanship and the well thought-out concept make this mailbox one of our top sellers. A rain runoff edge for optimal water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical mail retention bar and the very robust lock characterise this surface-mounted mailbox.

The mailbox systems of the BASIC Plus collection are characterised by the consistent use of V2A stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy spare part replacement and uncomplicated self-installation.

Spare parts are available directly for all BASIC Plus systems. Surface-mounted mailbox made of V2A stainless steel, powder-coated in a RAL colour of your choice.

The advantages at a glance

Stainless steel side cladding with rain hood

Side cladding and rain hood are made of V2A stainless steel, powder-coated in a RAL colour of your choice, and complement the system as a structurally matched weather protection.

Generous letter slot

The insertion opening measures 35 × 325 mm and is designed for DIN C4 (landscape). The mailbox complies with DIN EN 13724.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and comfortable removal

The integrated flap damping with rubber seal reduces impact noise during insertion. The mail retention bar holds items back during removal.

Integrated bell and intercom area

Bell/intercom unit made of V2A stainless steel, powder-coated in RAL colour. The stainless steel doorbell button Type 4 is used as the bell push. Optionally prepared with a speaker grille for the installation of common intercom systems or flush-mount speakers. (Intercom system/flush-mount speaker not included). An optional version with Comelit Ultra video complete set is also available.

Quality manufacturing and well thought-out construction

The system is manufactured by Briefkasten Manufaktur in Germany. The construction is designed for uncomplicated self-installation.

Equipment and product details

Mailbox system

Number of mailboxes 1 separately usable mailbox
Depth 100 mm
Mailbox material V2A stainless steel
Mailbox finish Powder-coated in a RAL colour of your choice
Bell/intercom unit Bell/intercom unit made of V2A stainless steel, powder-coated in RAL colour

Mail and operation

Insertion opening 35 × 325 mm, suitable for DIN C4 (landscape)
Standard DIN EN 13724
Insertion flap Noise-dampened by rubber seal
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the insertion flap
Mail retention bar Integrated for each mailbox

Mounting and equipment

Mounting type Surface-mounted
Rain runoff edge Integrated into the construction
Rain hood Made of V2A stainless steel, powder-coated in a RAL colour of your choice
Side cladding Made of V2A stainless steel, powder-coated in a RAL colour of your choice
Mounting material For wall mounting including fixing materials (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Postal items are optimally protected from moisture and soiling when fully inserted and with the insertion flap closed. Oversized items may prevent the flap from closing completely.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fastening must be adapted to the weight of the unit and the existing wall construction.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	430.0
Width of letterbox system in mm	355.0
Total width in mm	355.0
Depth in mm	100.0 | 150.0
Weight in kg	8

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618