17-unit freestanding mailbox system Design BASIC 385-VA ST-R - stainless steel V2A, brushed | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | Stainless steel, brushed | with 17 mailboxes



Product number 385-VA-17

Product description

Freestanding 17-unit mailbox system BASIC 385 for 17 households – V2A stainless steel, brushed

The freestanding BASIC 385 mailbox system for 17 households combines a robust construction with a clear, functional design. It is suitable for larger apartment buildings, residential complexes and demanding commercial properties and can be positioned independently of the building façade at the property entrance, by a driveway or along the access path.

The system configuration is tailored to the respective number of households and, together with a rain hood and side cladding, forms a closed unit.

The mailboxes are made of weather-resistant V2A stainless steel 1.4301 and are finely brushed. A snug side cladding with rain hood unites the individual mailboxes into a single, enclosed installation.

Each compartment has an aperture of 35 × 265 mm for DIN C4 items in portrait format. A noise-damping rubber lip reduces impact noise, while the front retrieval doors open from left to right. Each mailbox is supplied with two keys bearing a key number and a replaceable nameplate located beneath the insertion flap.

Key benefits of the BASIC 385 at a glance

Robust stainless steel support posts

Round-tube support posts with approx. 60 mm diameter in brushed V2A stainless steel 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for permanent use at the property entrance.

Large aperture to DIN EN 13724

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The aperture of 35 × 265 mm is designed for DIN C4 items in portrait orientation. Larger envelopes can also be inserted without folding.

Quiet posting and convenient retrieval

A noise-damping rubber lip reduces the impact of the insertion flaps. Mail is retrieved from the front via doors that open from left to right.

Entirely made from brushed stainless steel

The stainless steel finish combines mailboxes, cladding and support posts into a high-quality, low-maintenance complete system.

Proven BASIC quality — Made in Germany

The combination of solid material selection, DIN-EN-13724-compliant mail compartments and an assembly-friendly construction makes the BASIC 385 a durable solution for daily use.

Equipment of the BASIC 385 mailbox system

Mailbox system

Design Article-specific system configuration
Number of mailboxes 17 individually usable mail compartments
Mailbox material V2A stainless steel 1.4301
Finish V2A stainless steel 1.4301, brushed
Rain hood / side cladding V2A stainless steel 1.4301, brushed
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Aperture 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Replaceable nameplate beneath the insertion flap
Standard Mailboxes compliant with DIN EN 13724

Support posts and accessories

Support posts Round tube approx. 60 mm in V2A stainless steel 1.4301, brushed
Mounting options Either screwed mounting or embedding in concrete
Fixings Anchor bolts for screw mounting are not included; select suitable ones for the foundation separately

Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on the product configuration. The standard version 300 × 110 × 385 mm provides approx. 12 litres of volume; depending on the variant, 300 × 220 × 385 mm with approx. 25 litres of volume is also available.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Installation by embedding in concrete

For the freestanding system we recommend a sufficiently dimensioned concrete foundation. When embedding in concrete, the stainless steel support posts must be aligned plumb and permanently anchored in the foundation. Foundation size and embedment depth must be adapted to soil conditions, system weight and local circumstances.

Screw mounting to a foundation

For screw mounting, a level and load-bearing concrete foundation is required. Suitable anchor bolts or fixing materials must be chosen according to the substrate and the load on the system. For the BASIC-385-ST-R versions, anchor bolts are not included in the standard scope of delivery.

Note on weather protection

Post items are best protected from moisture and soiling when fully inserted and with the insertion flap closed. Overhanging items may prevent the flap from closing completely. Under extreme weather conditions, moisture can enter the mailbox despite compliant design.

Product properties

Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Number of boxes	with 17 letterboxes
Surface/colour	Brushed

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	900.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	1060.0
Depth in mm	435.0
Weight in kg	81
Delivery condition	Delivery is in blocks; stand elements / mailboxes delivered in separate parts.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618