5-unit freestanding mailbox system Design BASIC - Edition NELLY - bi-colour VA - RAL 7016 anthracite grey | with 5 mailboxes

Product number 384P-7016VA-5



Product description

5-unit Freestanding Mailbox System BASIC – Edition NELLY – BI-Colour Stainless Steel / RAL 7016 Anthracite Grey

"Everything begins with longing." – Nelly Sachs

The Edition NELLY combines the proven BASIC mailbox technology with a distinctly more individual appearance. The mailbox body is made of galvanised steel and receives a powder-coated finish in RAL 7016 Anthracite Grey fine-textured matt, while the insertion flaps are made of stainless steel V2A 1.4301 with a 240-grit brushed finish. This deliberate BI-Colour contrast appears modern and high-quality and pairs well with many front doors, windows and façades. As a freestanding version with 5 mailboxes, NELLY is not only intended for mail reception but serves as a neatly designed component of the entrance area. The slim, flush-mounted frame and the writable weather canopy make the system a standalone design element at the property entrance.

The special advantages of Edition NELLY

Weather canopy becomes the NELLY labelling panel

The canopy performs two functions in NELLY: it supplements weather protection and at the same time becomes a striking labelling surface. Your individual laser engraving for house number and/or street name makes the freestanding system unmistakable and personal right at the property entrance.

BI-Colour: RAL 7016 meets brushed stainless steel

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The mailbox body made of galvanised steel is powder-coated in RAL 7016 Anthracite Grey fine-textured matt. The insertion flaps, by contrast, are made of stainless steel V2A 1.4301 and are brushed with a 240-grit finish. The canopy and support columns are made of stainless steel V2A and are powder-coated; the brushed insertion flaps provide the visible stainless-steel accent.

Large aperture for DIN C4

The 35 × 325 mm insertion opening is designed for DIN C4 in landscape format. Larger letters can also be posted without being folded. The mailbox version complies with DIN EN 13724.

Quiet operation for everyday use

The brushed stainless-steel insertion flaps are fitted with a noise-damping rubber seal. A mail retention bracket supports controlled removal while the doors open from left to right.

Solid stainless-steel support columns 20 × 100 mm

The freestanding NELLY system is supported by slim yet robust columns made of 2 mm thick stainless steel V2A 1.4301. With a 20 × 100 mm cross-section and a powder-coated surface, the columns appear flush and elegant while providing a stable base for the entire system.

Equipment and technical features

Material and mailbox

Version 5 mailboxes
Mailbox body Steel, galvanised; RAL 7016 Anthracite Grey fine-textured matt
Insertion flaps Stainless steel V2A 1.4301, 240-grit brushed
Insertion opening 35 × 325 mm, DIN C4 landscape
Standard DIN EN 13724

NELLY design and operation

Labelling Individual laser engraving in BML Lasercut font
Nameplate Changeable nameplate under the insertion flap
Mail retention bracket Integrated for each mailbox
Mail retrieval Front access
Door opening From left to right
Locking system Depending on the chosen product configuration

Installation and construction

Installation type Freestanding
Support columns 20 × 100 mm, made of 2 mm stainless steel V2A 1.4301, powder-coated
Canopy Stainless steel V2A, powder-coated and usable as a labelling surface
Installation options For bolt-down installation or concrete-in
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Mail is best protected from moisture and soiling when fully inserted and with the insertion flap closed. Protruding items may prevent the flap from closing completely.

Note on base installation

The support columns are, depending on the selected version, intended for bolt-down installation on a suitable foundation or for concreting in. The foundation must be adapted to ground conditions and local circumstances.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
House number	House number as laser engraving
Surface/colour	RAL 7016 anthracite grey, Brushed
Removal of mail	On the front
Number of boxes	with 5 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	1065.0
Overall height in mm	1400.0 +110.0 | 1600.0 +110.0
Total width in mm	1105.0
Depth in mm	100.0 + 20.0
Weight in kg	48
Delivery condition	Delivery is made in blocks; freestanding elements / mailbox are supplied separately.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images












Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618