# Freestanding designer parcel compartment system GOETHE with 2 mailboxes and 2 parcel compartments - rear access - RAL colour of your choice | with 2 letterboxes (2x1) | Rear mail retrieval | Parcel compartment 400x1200x400



**Product number** 215-STL-PK2-2BK-PE-H

## Product description

### Freestanding design parcel box GOETHE® with 2 letterboxes, 2 parcel boxes and rear collection - delivery airlock system - RAL colour of choice

Parcel delivery has changed significantly in recent years – today customers expect more flexibility and security than ever before. With the GOETHE® parcel mailbox from Briefkasten Manufaktur you rely on an optimal combination of innovative technology and outstanding design, manufactured from high-quality stainless steel and aluminium. Thanks to the collection side at the rear, this parcel mailbox is particularly suitable for installation in fences or at property boundaries, allowing you to collect your parcels and letters conveniently and securely from inside your property.

The GOETHE® parcel box features a specially designed delivery airlock. Once the delivery driver places your parcel in the sluice and closes it, the parcel automatically drops into the securely locked collection compartment below. After this process the delivery airlock is immediately ready for further deliveries and is independently isolated from the collection compartment, providing the highest level of security for your parcels. This construction enables delivery-independent parcel receipt that can be used by any parcel carrier (e.g. DHL, DPD, TNT, GLS, Hermes, etc.). The spacious interior of the GOETHE® parcel box is designed to accommodate a DHL parcel size M and even several smaller consignments. Depending on placement, up to four size M parcels can be stored simultaneously. Insertion of letters, magazines and catalogues is also possible without issue (no compartment separation provided).

The dimensions of the letterboxes allow a capacity of approx. 32 litres; the large insertion slot ensures that even DIN C4 envelopes and magazines are not creased, even after several days of absence. With the arrangement of the lock, these letterboxes are designed so that the collection door prevents your mail from falling out. The water drainage edge offers optimal protection of the internal mail from the weather. The insertion flap is fitted with high-quality axle dampers, guaranteeing quiet closing and preventing rattling caused by weather influences.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Briefkasten Manufaktur places particular emphasis on the selection of high-quality materials. The use of stainless steel in the manufacture of the GOETHE® parcel box ensures extremely high corrosion resistance and a strikingly attractive surface finish. Our quality assurance begins with the selection of our raw material suppliers and only ends when the parcel box arrives with you in the required quality. Rely on the GOETHE® parcel box for a secure, flexible and stylish solution to your parcel delivery needs. Be convinced by a product that combines traditional craftsmanship with state-of-the-art technology – entirely in the spirit of Briefkasten Manufaktur.

**Protected utility model according to DPMA file number DE: 20 2021 101 679.5**

- High-quality parcel compartment system made of stainless steel and aluminium, powder-coated in RAL colour of choice.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Letterboxes (BH 400x200mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of choice.
- 3 lever locks incl. 2 keys with key number.
- Mail is inserted from the front and collected from the rear. Insertion flap with high-quality axle dampers for very quiet posting of mail.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 horizontally; large letters fit without bending.
- Collection door opens from top to bottom, so your mail cannot fall out.
- Parcel boxes (BH 400x1200mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of choice with stainless steel laser inscription.
- Parcel compartment volume: 128 litres, Max. parcel dimensions: 355 x 375 x 305 mm (W x H x D), corresponding to parcel size M.
- Parcel drop flap with damping for quiet closing.
- Optimal protection from rain through rain drainage edges and a rain hood made from 3 mm aluminium AlMg3 W19, powder-coated in RAL colour of choice.
- Side cladding made from 3 mm aluminium AlMg3 W19, powder-coated in RAL colour of choice.
- Rear panel made from 1 mm stainless steel 1.4301 V2A, powder-coated in RAL colour of choice.
- Invisible fixing within the pillar. The overall height is 1.65 m.

## Important information

Water protection

To achieve optimal water protection for your mail, the mailbox or mailbox system should, where possible, be located under a canopy.

Mail is only protected from water if it is placed completely inside the box and the insertion flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against water ingress in accordance with DIN EN 13724. Water ingress is not a valid reason for a complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# Product properties

| | |
|---|---|
| **Surface/colour** | RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white |
| **Series** | GOETHE |
| **Functions** | Newspaper compartment, Parcel compartment |
| **Number of boxes** | with 2 parcel boxes, with 2 letterboxes |
| **Material** | Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel) |
| **Mounting type** | Free-standing |
| **House number** | House number as laser engraving |
| **Name labelling** | Laser-engraved |
| **Boxes by volume** | Jumbo > 30 litres |
| **Removal of mail** | On the back |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimensions


| | |
|---|---|
| **Height of single box in mm** | BK 200.0 \| PK 1200.0 |
| **Width of single box in mm** | 400,0 |
| **Capacity in litres** | BK 32.0 \| PK 128.0 |
| **Height of letterbox slot in mm** | 35,0 |
| **Width of letter slot in mm** | 360,0 |
| **Overall height in mm** | 1450,0 |
| **Total width in mm** | 808,0 |
| **Depth in mm** | 400.0 + 25.0 Rain roof |
| **Weight in kg** | 98 |
| **Delivery condition** | Delivery is assembled |


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

## Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# More images











Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618








Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618