3-compartment stainless steel surface-mounted mailbox BASIC Plus 382X AP with side-mounted doorbell box | Right | 100mm depth | with 3 mailboxes (3x1) | Stainless steel, brushed



Product number 382XA-3W-SP-R-100

Product description

3-unit stainless steel surface-mounted mailbox BASIC Plus 382X AP with side bell box

German quality manufacturing "Made in Germany" by Briefkasten Manufaktur. The complete 3-unit surface-mounted mailbox is made of weather-resistant stainless steel V2A, brushed. A rain drainage edge for optimal water protection, a double-folded letter flap with rubber buffer, the solid replaceable nameplate, a practical mail-retaining bar and a very robust lock characterise this stainless steel mailbox.

The mailbox systems of the BASIC Plus collection are distinguished by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy spare-part installation and uncomplicated self-assembly. Spare parts are readily available for all BASIC Plus systems.

Thanks to the design, self-assembly is uncomplicated. The mailbox system is prepared for straightforward complete installation; there is no need for time-consuming wall mounting of individual boxes. 3-unit surface-mounted mailbox made of high-quality, weather-resistant stainless steel V2A 1.4301, brushed.

Advantages at a glance

Close-fitting stainless steel cladding with rain canopy

Side cladding and rain canopy are included in this version and are made of stainless steel V2A, brushed. The close-fitting design forms a closed, structurally coordinated unit with the mailbox system.

Generous letter slot

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The letter slot measures 35 × 325 mm and is designed for DIN C4 in landscape format. The mailbox version complies with DIN EN 13724.

Quiet insertion and comfortable retrieval

The integrated flap damping with rubber buffer reduces impact noise during insertion. The mail-retaining bar holds items back during retrieval.

Integrated bell and intercom area

Bell housing made of stainless steel V2A 1.4301, brushed. A stainless-steel bell push Type 4 is used. Optionally prepared with a speaker grille for the installation of conventional intercom systems or flush-mounted speakers. (Intercom system/flush speaker not included). An optional version with Comelit Ultra video complete set is also available.

Quality manufacturing and thoughtful design

The unit is manufactured by Briefkasten Manufaktur in Germany. The construction is designed for uncomplicated self-assembly.

Features and product details

Mailbox system

Number of mailboxes 3 separately usable mail compartments
Arrangement 3 × 1
Depth 100 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox finish Brushed
Bell / intercom section Bell housing made of stainless steel V2A 1.4301, brushed

Mail and operation

Letter slot 35 × 325 mm, suitable for DIN C4 landscape
Standard DIN EN 13724
Letter flap Sound-damped by rubber buffer
Keys 2 keys with key number per mailbox
Name plate Replaceable name plate beneath the letter flap
Mail-retaining bar Integrated for each mailbox

Installation and equipment

Installation type Surface-mounted
Rain drainage edge Integrated into the construction
Rain canopy Made of stainless steel V2A, brushed
Side cladding Made of stainless steel V2A, brushed
Mounting material For wall mounting including mounting rail and fixing material (screws + wall plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Mail items are best protected against moisture and soiling when fully inserted and with the letter flap closed. Protruding items can prevent the flap from closing completely.

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. The fixings must be matched to the weight of the unit and the existing wall construction.

Product properties

Series	BASIC
Number of bell push buttons	1 button, 2 buttons, 3 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Mounting type	Surface-mounted
Number of boxes	with 3 letterboxes

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	330.0
Width of letterbox system in mm	1235.0
Total width in mm	1235.0
Depth in mm	100.0 | 150.0
Weight in kg	12

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618